




# A creative solution for every need

## Create greater brand awareness to stand out from the crowd

Our extensive portfolio of display products includes everything from portable A-sign boards, roller banners and digital displays to custom built exhibition stands, helping brands to creatively capture the attention of their target audience across a variety of display solutions and vibrant printed graphics.





### Contents

| Display Stands                        | 6   |
|---------------------------------------|-----|
| Modulate™                             | 9   |
| Vector                                | 20  |
| Linear                                | 40  |
| Arena Structures                      | 50  |
| Hanging Structures                    | 54  |
| Arch                                  | 56  |
| Display Backwalls                     | 58  |
| Illuminated pop-up backwalls          | 60  |
| Non-illuminated pop-up backwalls      | 61  |
| Non-illuminated fabric tube walls     | 66  |
| Non-illuminated segmented frame walls | 68  |
| Non-illuminated tension Walls         | 72  |
| Display Signs                         | 74  |
| Non-illuminated free-standing signs   | 76  |
| Non-illuminated wall mounted signs    | 82  |
| Illuminated wall mounted signs        | 84  |
| Non-illuminated suspended signs       | 85  |
| Strata                                | 86  |
| Display Banners                       | 88  |
| Lightboxes                            | 90  |
| Tension textile systems               | 93  |
| Roller banners                        | 95  |
| Tension banners (X Banner)            | 102 |
| Flag Banners                          | 104 |
| Free-standing flags                   | 106 |
| Free-standing flag bases              | 108 |
| Post / wall mounted flags             | 112 |
| Mobile flags                          | 113 |
| Tents                                 | 114 |
| Pop-up tents                          | 116 |
| Inflatable tents                      | 119 |
| Counters                              | 120 |
| Non-illuminated promotional counters  | 122 |
| Illuminated promotional counters      | 125 |
| Barriers                              | 126 |
| Pedestrian control barriers           | 128 |
| Queue management barriers             | 129 |
| Ancillaries                           | 130 |
| Literature holders                    | 132 |
| Lighting                              | 133 |
| Lighting ancillaries                  | 135 |
| Portable transportation cases         | 136 |
| Custom / made to measure graphics     | 139 |
| Product Applications                  | 140 |
| Index                                 | 151 |



## A solution for every requirement

### Our comprehensive range of creative display solutions

Our goal is to offer a comprehensive range of innovative products for a variety of industries and applications, all from a single supplier. This collection contains our portfolio of creative display solutions including our latest new products.

#### 03 **Display Signs**

Professional wall, floor and suspended signage solutions

#### **Display Banners** 04

Portable display options, ideal for temporary deployment

#### **Flag Banners** 05

Attract attention at a distance through movement with eye-catching flag solutions

06

### Tents

Perfect outdoor temporary shelters, outdoor pop-up shops and market stalls

07

### **Counters**

Adaptable and portable temporary counters for promotional, display and exhibition applications

#### 01 **Display Stands**

Complete exhibition stand solutions, incorporating hanging structures, modular stands, towers and customised stands





Large format graphic backdrops which are ideal for conferences, promotional activities and events





### **Barriers**

Convenient and easy barrier systems, to create temporary areas, manage queues and control crowds



Accessories designed to increase the functionality of a chosen product range













## **Display Stands**

Display stands are the perfect solution for an array of different applications. From exhibitions, conferences, events, retail event zones to window displays and product showrooms; their uses are unlimited. The perfect stand will showcase and increase the opportunity to interact with existing and potential customers by creating engaging, and innovative brand promotion and messaging.

Our Display range of products include hanging structures to attract interest from a distance, modular stand components and display towers that can be combined to create truly contemporary and captivating exhibition spaces. The collective modular systems; Modulate™, Formulate, Vector and Linear are all designed to work in unison, to deliver a re-usable and reconfigurable exhibition stand. In addition, stands from the modular range also all feature replaceable graphics, thus protecting the investment in hardware, whilst still being renewable by updating branding or marketing messages.

Creating an effective display stand that drives results is extremely straightforward with this collection of pre-configured solutions. Simply select a design for inspiration whilst considering floor size and parameters of price-point. For a more unique stand construction, the modular range can also be customised - incorporating precise requirements with all the benefits that modular exhibition systems offer for complete creative innovation.



### Stand component systems

#### Modulate<sup>™</sup>

Modulate<sup>™</sup> is the fusion between two of our original concepts: Formulate and Vector. The range extremely strong and light. The different sections is composed of various frames made of aluminium tubes, equipped with the patented magnet system: be covered with fabric or vinyl graphics. MagLink. Modulate<sup>™</sup> provides a custom build solution through its hundreds of possible configurations using the various modules.

#### Vector

One of the simplest and most versatile communication solutions on the market. Vector is an aluminium frame system with a stretched fabric graphic that adapts to any environment. With a variety of different profiles, all applications are possible: suspended, wall-mounted, self-supporting, double-sided or illuminated.

#### Linear

A versatile POS and stand solution which enhances flexible and rigid PVC supports. Linear can either be a visible or invisible structure, where stands can be configured according to available space and the desired design.

#### Arena

A tubular aluminium gantry structure that is both can be assembled according to the space and can

#### **Hanging Structures**

Make your exhibition stands stand out with an eye catching Vector LED hanging structure. Vector LED are the perfect combination of our versatile Vector frames combined with a powerful LED system. Alternatively, select one of our lightweight Formulate hanging structures to compliment your stand design, which uses a lightweight 30mm tubular system that can be neatly wrapped in a fabric printed graphic.

#### Arch

The Formulate Arch offers a freestanding walkway solution created using our 30mm Formulate structure, which is lightweight and easy to build.

## **Considerations for exhibitions**

#### Why exhibit at a trade show?

Trade shows remain the preferred communication channel for companies seeking to increase their reputation and promote their image.

The benefits of a trade show are vast and very attractive. They enable several actions to be carried out in a relatively short period of time:

- Brand positioning .
- . Prospecting
- Market research .
- Launch of new products .
- . Building customer loyalty
- Business networking .

#### The centrepiece: your stand

The success of any trade show depends on its cost vs quality and ROI for generating leads and meeting other sales / marketing objectives.

#### 1. Location:

How much space? How many open sides?

#### 2. The design:

Which media: textile, rigid, flexible panels? Need to communicate in height: sign, extension or extension of storage room? Do you need a storeroom to store equipment? What kind of lighting?

#### 3. Use:

#### How often?

Will it need to be scalable in shape and size? What means of transport do you have? Will the stand be reused in another environment i.e. customer showroom, inhouse events etc.?

#### 4. The budget :

What is the budget for the stand? Over how many shows will it pay for itself?

#### The keys to success

To have a successful trade fair, it is essential to :

- Set 3 to 5 objectives that will guide the marketing strategy of the event
- Ensure maximum visual impact with a quality stand that will enhance the company's image (openings, suspended communication, graphics, materials, etc.)
- Implement effective communication and promotion: before, during and after the event (emailing, invitation, social networks, stand promotion, etc.)

#### Why choose a modular stand?

- Lightweight and compact
- Reconfigurable
- Quick payback
- Durable
- Easy to assemble
- Standard or custom made
- Unlimited message renewal
- Ergonomic



## MODU ATF

## Modulate


### The best way to attract attention

Modulate<sup>™</sup> is the result of the fusion of two original concepts that have proven successful in the exhibition and retail world; Formulate tubular solutions and the modularity of Vector frames.

Modulate<sup>™</sup> is a collection of various frames made from aluminum tubes and covered with a printed textile cover. These frames can be easily connected to each other by means of powerful magnets placed inside each structure.

#### MagLink connector, simple, fast and reconfigurable

Thanks to the exclusive MagLink magnetic system integrated into the structure, you can connect the frames to each other simply by bringing them together.





Optional 400 mm extension to change the height of the structures



Based on this simple magnetic principle, it is possible to combine the different Modulate™ frames to create configurations for all communication areas: at the point of sale, at trade fairs, in exhibition areas, in shopping centres or simply within companies themselves.









#### **Tool-less assembly**

Modulate<sup>™</sup> structures are easy to assemble without tools. Each section is marked with numbers and colours and connected with push buttons. Once the structure is assembled, the Twist & Lock feet will rotate a quarter of a turn until they lock into a perfectly stable self-supporting frame. Finally pull-on the printed fabric graphic which perfectly fits to the contour of the frame.



## technological innovations!

To add versatility to Modulate<sup>™</sup> structures, a 400 mm tubular extension can be added. With this extension, which is easily placed between two sections, you can use the same frame with two different heights.



## MODULATE

### Standard Modulate<sup>™</sup> Frames

Modulate<sup>™</sup> is an innovative double-sided display system that consists of a set of lightweight aluminium frames covered with a custom printed tension fabric graphic. Frames connect together using powerful magnets encased inside each element and can be joined at any angle to create shaped displays or backwalls. Frames are completed with tension-fit fabric graphic pulls over the frame and zips at the base. Frames are available in various widths and two height options. Each frame is supplied with two stabilising feet which can be used if required for extra stability. The Modulate<sup>™</sup> Straight frames can be used on their own or combined with other frames to create hundreds of configurations.

| Material           | Aluminium  |
|--------------------|--|
| Tube               | 30mm Ø   |
| Assembly           | Tool-free push-button connectors                     |
| Shape              | Straight   |
| Graphic area       | Double-sided   |
| Graphic attachment | Zipped tension-fit graphic                           |
| Application        | Free-standing with feet (included)                   |
| Transport          | Modulate <sup>™</sup> carry bag with dedicated pocke |
|                    |  |


for the feet and graphics



## Modulate<sup>™</sup> Straight


### Modulate™ Straight 420, 424

| Straight 420 rounded corners | MOD-S-420    | ര്_ 418(w) × 2000(h) × 400(d) mm |
|------------------------------|--------------|----------------------------------|
| Straight 424 rounded corners | MOD-S-424    | 418(w) x 2400(h) x 400(d) mm     |
| Straight 420 square corners  | MOD-S-420-SQ | ്ര_ 418(w) x 2000(h) x 400(d) mm |
| Straight 424 square corners  | MOD-S-424-SQ | ്ര_ 418(w) x 2400(h) x 400(d) mm |



### Modulate™ Straight 820, 824

| Straight 810 rounded corners | MOD-S-810    | ര്വ് 818(w) x 1000(h) x 400(d) mm |
|------------------------------|--------------|-----------------------------------|
| Straight 820 rounded corners | MOD-S-820    | ര്വ് 818(w) x 2000(h) x 400(d) mm |
| Straight 824 rounded corners | MOD-S-824    | ര്വ് 818(w) x 2400(h) x 400(d) mm |
| Straight 810 square corners  | MOD-S-810-SQ |                                   |
| Straight 820 square corners  | MOD-S-820-SQ |                                   |
| Straight 824 square corners  | MOD-S-824-SQ | j_ 818(w) x 2400(h) x 400(d) mm   |
|                              |              |                                   |



## MODULATE

### Modulate<sup>™</sup> Straight 1020, 1024


| Straight 1020 rounded corners  | MOD-S-1020    | ြ_ 1018(w) x 2000(h) x 400(d) mm    |
|--------------------------------|---------------|-------------------------------------|
| Straight 1024 rounded corners  | MOD-S-1024    | ര്പ്പ 1018(w) x 2400(h) x 400(d) mm |
| Straight 1020 straight corners | MOD-S-1020-SQ | ര്വ് 1018(w) x 2000(h) x 400(d) mm  |
| Straight 1024 straight corners | MOD-S-1024-SQ | ര്വ് 1018(w) x 2400(h) x 400(d) mm  |
|                                |               |                                     |

### Modulate<sup>™</sup> Straight 1820, 1824


| ſ |                               |               |                                     |
|---|-------------------------------|---------------|-------------------------------------|
|   | Straight 1820 rounded corners | MOD-S-1820    | ര്പ്പ 1818(w) x 2000(h) x 400(d) mm |
|   | Straight 1824 rounded corners | MOD-S-1824    | ြ_ 1818(w) × 2400(h) × 400(d) mm    |
|   | Straight 1820 square corners  | MOD-S-1820-SQ | ര്വ് 1818(w) x 2000(h) x 400(d) mm  |
|   | Straight 1824 square corners  | MOD-S-1824-SQ | ര്_ 1818(w) x 2400(h) x 400(d) mm   |

#### Modulate<sup>™</sup> Straight 2020, 2024

| MOD-S-2020    | o_ 2018(w) x 2000(h) x 400(d) mm     |  |
|---------------|--------------------------------------|--|
| MOD-S-2024    | ര്റ്റ് 2018(w) x 2400(h) x 400(d) mm |  |
| MOD-S-2020-SQ | ര്_ 2018(w) × 2000(h) × 400(d) mm    |  |
| MOD-S-2024-SQ | ര്_ 2018(w) x 2400(h) x 400(d) mm    |  |
|               | MOD-S-2024<br>MOD-S-2020-SQ          |  |



### Modulate<sup>™</sup> Slope



#### Modulate<sup>™</sup> Door

The Modulate<sup>™</sup> Door frame joins magnetically to other frames in the Modulate<sup>™</sup> range and is tool-free in its design. Constructed from lightweight aluminium tubing with magnets held in the frames to join backwalls together. Complete with optional tension-fit fabric graphic, the door is ideal for store room areas or meeting rooms.

| Material           | Aluminium  |
|--------------------|--|
| Tube               | 30mm Ø   |
| Assembly           | Tool-free push-button connectors                                     |
| Shape              | Straight   |
| Graphic area       | Double-sided   |
| Graphic attachment | Zipped tension-fit graphic   |
| Application        | Free-standing with feet (included)                                   |
| Transport          | Modulate" carry bag with dedicated pockets for the feet and graphics |
|                    |  |

|  | MOD-S-DOOR-820    | ര്വ് 800(w) × 2000(h) × 120(d) mm |
|--|-------------------|-----------------------------------|
| Modulate <sup>™</sup> door Rounded corners | MOD-S-DOOR-824    | ര്_ 800(w) x 2400(h) x 120(d) mm  |
| Modulate™ door Square corners              | MOD-S-DOOR-820-SQ | ര്വ് 800(w) x 2000(h) x 120(d) mm |
| woodlate door square corners               | MOD-S-DOOR-824-SQ | ര്വ് 800(w) x 2400(h) x 120(d) mm |





2 handles and 1 stop for Modulate<sup>™</sup> Door MOD-S-DOOR-SP-01 included 2 Twist & Lock An adjustable Foot Square Feet Formulate MOD-FOOT-SQ-P FMLT-MOD-30-ADJ-F included included



5





### Modulate<sup>™</sup> ancillaries

| Modulate™ F | eet (pair)                      |     |
|-------------|---------------------------------|-----|
| MOD-FOOT-P  | (a) 80(w) x 6(h) x 400(d) mm    |     |
|             |                                 |     |
|             |                                 |     |
| Modulate™ B | lag                             |     |
| MOD-BAG     | စြ 1020(w) x 225(h) x 100(d) mm |     |
|             |                                 |     |
| Modulate™ 4 | 00mm Extensior                  | n K |

#### Spotlight Clamp for Formulate / Modulate<sup>™</sup> Tube

US903 (O\_ 48(w) x 32(h) x 50(d) mm

#### Screen Holder for Modulate™ / Formulate Ø 30mm

LN136 (a) 900(w) x 1800(h) x 650(d) mm





## MODULATE

## **Pre-configured Modulate™ stand examples**

This section showcases examples of various pre-configured Modulate<sup>™</sup> Stands that can be achieved using the various Modulate<sup>™</sup> hardware and ancillaries.

#### 5 Modulate<sup>™</sup> Stand 9m<sup>2</sup> 824 Material Aluminium Tube 30mm Ø Tool-free push-button connectors Assembly Graphic area Double-sided Graphic attachment Zipped tension-fit graphic 2024 2024 2,4 m Straight 2024 right angles (x2) MOD-S-2024-SQ MOD-S-824-SQ Straight 824 right angles (x3) Door Modulate™ MOD-S-DOOR-824-SQ Pair of half flat Foots (x2) MOD-HALF-FOOT-P FORM-MOD-CNTR-01 Modulate<sup>™</sup> counter 3 m FORM-MOD-CNTR-02 Internal shelf Modulate™ cupboard perfect for storage 0 Optional Spot LED-STRIP-ARM-BDLK Clamp US903 Bag MOD-BAG

#### Modulate<sup>™</sup> Stand 12m<sup>2</sup> Material Aluminium 30mm Ø Tube Tool-free push-button connectors Assembly Graphic area Double-sided Zipped tension-fit graphic Graphic attachment MOD-S-2024-SQ Straight 2024 right angles (x3) MOD-S-1024-SQ Straight 1024 right angles Straight 824 right angles (x4) MOD-S-824-SQ Modulate<sup>™</sup> Door MOD-S-DOOR-824-SQ Pair of half flat feet x4 MOD-HALF-FOOT-P







Possibility to add PS950-1000 LED spotlights

2 handles and 1 stop for Modulate™ Door MOD-S-DOOR-SP-01 Twist & Lock MOD-HALF-FOOT-P included

Half feet

grey




## MODULATE

#### Modulate<sup>™</sup> Stand 15m<sup>2</sup>

| Material           | Aluminium                        |
|--------------------|----------------------------------|
| Tube               | 30mm Ø                           |
| Assembly           | Tool-free push-button connectors |
| Graphic area       | Double-sided                     |
| Graphic attachment | Zipped tension-fit graphic       |
|                    |                                  |

| - [ |                                 |                   |
|-----|---------------------------------|-------------------|
|     | Straight 2024 right angles (x3) | MOD-S-2024-SQ     |
|     | Straight 1024 right angles      | MOD-S-1024-SQ     |
|     | Straight 824 right angles (x3)  | MOD-S-824-SQ      |
|     | Slope 2                         | MOD-SS-824-02     |
|     | Door Modulate™                  | MOD-S-DOOR-824-SQ |
|     | Pair of half flat feet x4       | MOD-HALF-FOOT-P   |
|     | Modulate™ counter               | FORM-MOD-CNTR-01  |
|     | Internal shelf                  | FORM-MOD-CNTR-02  |
|     |                                 |                   |



Configure the stand interior with additional Modulate™ frames



Possibility to add PS950-1000 LED spotlights

Twist & Lock MOD-HALF-FOOT-P

Accessorise with a Modulate™ counter

5

#### Modulate<sup>™</sup> Stand 18m<sup>2</sup>

The Modulate<sup>™</sup> range is ideal for the design of small and medium sized exhibition stands. The assembly of Modulate<sup>™</sup> structures is simple, without tools and allows unlimited modularity and evolution of your configurations.


| Material  | Aluminium   |            |
|---|---|------------|
| Tube  | 30mm Ø  |            |
| Assembly  | Tool-free push-button conne   | ctors      |
| Graphic area  | Double-sided  | $\uparrow$ |
| Graphic attachment  | Zipped tension-fit graphic  |            |
| Straight 2024 right angles (x4)<br>Straight 1024 right angles<br>Straight 824 right angles (x4)<br>Door Modulate™ | MOD-S-2024-SQ<br>MOD-S-1024-SQ<br>MOD-S-824-SQ<br>MOD-S-DOOR-824-SQ | 2,4 m      |

Modulate™ cupboard - door with handle (without lock)



Modules join tool-free and without





The ease of assembly of the range allows for reconfigurable and reusable solutions: mix and match structures in an instant!

## Vector

### Visual marketing for every budget

Whether wall mounted, free-standing or backlit, the diverse range of Vector aluminium profiles provides a solution for every need and every budget.


They offer optimal visual impact and original designs that can be adapted to any event: showrooms, point of sale, exhibitions, museums and many others.

#### Anodised aluminium profiles

The Vector range includes 7 aluminium profile models that are perfect for all applications. Let our overview table guide you and make your choice easily.








30 mm LED

50 mm





Quick Fix 20 mm



Slim 20 mm

75 mm LED

100 mm LED 125 mm LED

Wall nounted Free-standin Various colours Code VECTOR ouble-side VWQF-CUSTOM\* 20 mm QF Х Х VWF-CUSTOM 20 mm Slim х VLB30-CUSTOM 30 mm LED х х х VKF-CUSTOM\* 50 mm Х Х х VLB75-CUSTOM\* 75 mm LED Х х Х Х Х VLB100-CUSTOM\* 100 mm LED Х Х Х VLB125-CUSTOM 125mm LED х х Х х х

\* Available in standard modules for stand application

20

## VECTOR

### **Vector Modules**

#### An ultra-compact solution

From free-standing textile walls to exhibition stands, the Vector range offers a versatile and adaptable solution for all your events. The Vector frame system with stretched fabric covering is one of the simplest communication solutions on the market, particularly in a stand environment. Scalable, reconfigurable, ultra-portable: go from a 9 to a 15 m<sup>2</sup> stand with ease. Easily create stands of all sizes and shapes and accessorise them with spotlights, counters, document holders, etc.



## A compact solution for portability and optimised storage

#### **Choose the Vector Modules:**

- 50 mm aluminium profiles
- Different modules: walls, arches, LEDs, storage...
- Packaged in numbered sections of 1250 mm,
- Delivered in a cardboard box with assembly instructions, accompanied by the visual of your choice
- In stock all year round
- Each module is already perforated on 4 sides and equipped with the necessary screws: easily assemble different modules together, one Allen key is enough.
- Reconfigurable and reusable: store the stand at home in a small box (1350 x 400 x 300 mm)
- Excellent return on investment.





#### **Vector Modules – Walls**

| Material Alumin                      |          | Alumin                           | ium          |                                 |
|--------------------------------------|----------|----------------------------------|--------------|---------------------------------|
| Profile width 50mm                   |          | nm                               |              |                                 |
| Profile Colour Tube Anodis           |          | Anodised                         |              |                                 |
| Assembly Conne                       |          | nectors assemble using Allen key |              |                                 |
| Graphic area Single and double-sided |          | and double-sided                 |              |                                 |
| Graphic attachment SEG 3mm           |          |                                  |              |                                 |
|                                      |          |                                  |              |                                 |
|                                      | Module A |                                  | MODULE-VFF-A | ര്_ 2950(w) x 2500(h) x 50(d) m |
|                                      | Module B |                                  | MODULE-VFF-B | ര്_ 1950(w) x 2500(h) x 50(d) m |
|                                      | Module C |                                  | MODULE-VFF-C | ര്_ 950(w) x 2500(h) x 50(d) mm |
|                                      | Module M |                                  | MODULE-VFF-M | ര്_ 2850(w) x 2500(h) x 50(d) m |
|                                      | Module N |                                  | MODULE-VFF-N | ര്_ 1850(w) x 2500(h) x 50(d) m |
|                                      | Module O |                                  | MODULE-VFF-O | ര്_ 450(w) x 2500(h) x 50(d) mm |
|                                      | Module L |                                  | MODULE-VFF-L | ര്_ 2800(w) x 2500(h) mm        |
|                                      |          |                                  |              |                                 |

#### **Vector Modules LED**

| Material            | Aluminium                           |              |                                     |
|---------------------|-------------------------------------|--------------|-------------------------------------|
| Profile width       | 75mm and 100mm                      |              |                                     |
| Profile Colour Tube | Anodised                            |              |                                     |
| Assembly            | Connectors assemble using Allen key |              |                                     |
| Graphic area        | Single and double-sided             |              |                                     |
| Graphic attachment  | SEG 3mm                             |              |                                     |
| LED System          | Pre-installed LED lighting          |              |                                     |
|                     |                                     |              |                                     |
| Module I            |                                     | MODULE-VFF-I | ര്വ് 950(w) x 2550(h) mm            |
| Module J            |                                     | MODULE-VFF-J | ര്_ 950(w) x 2500(h) x 75(d) mn     |
| Module P            |                                     | MODULE-VFF-P | ര്റ്റ് 1850(w) x 2500(h) x 100(d) r |
|                     |                                     |              |                                     |

#### **Post Module**

| Material            | Aluminium  |  |
|---------------------|--|--|
| Profile width       | 50mm   |  |
| Profile Colour Tube | Anodised   |  |
| Assembly            | Connectors assemble using Allen key, Screw-in strips |  |
|                     |  |  |
| Post Module         | ര്വ_ 50(w) x 50(d) x 2500(h) mm                      |  |



| Vector M   |  |              |   |        |
|--|--|--------------|---|--------|
| laterial   | Aluminium  |              |   |        |
| rofile width   | 50mm   |              |   |        |
| rofile Colour  | Anodised   |              | _   |        |
| ssembly  | Connectors assemble using  | g Allen key  |   |        |
| raphic area  | Single or double-sided   |              |   | SHE    |
| raphic attachment  | SEG 3mm  |              |   | MODULE |
| Module K   |  | MODULE-VFF-K | ©_ 1050(w) × 1000(h) × 1050(d) mm             |        |
| Module Q   |  | MODULE-VFF-Q | စြ_ 1850(w) × 1000(h) × 100(d) mm             |        |
|  |  |              | ('  |        |
|  |  |              | Consider adding<br>2 x 1000mm<br>square posts | Q      |
| /ector Mo  | odules Stora   | age          | Consider adding<br>2 x 1000mm                 |        |
|  | odules Stora   | age          | Consider adding<br>2 x 1000mm                 | Q      |
| Naterial   |  | age          | Consider adding<br>2 x 1000mm                 | Q      |
| Aaterial<br>Profile width  | Aluminium  | age          | Consider adding<br>2 x 1000mm                 | Q      |
| Material<br>Profile width<br>Profile Colour  | Aluminium<br>50mm  |              | Consider adding<br>2 x 1000mm                 | Q      |
| flaterial<br>Profile width<br>Profile Colour<br>Isssembly  | Aluminium<br>50mm<br>Anodised  |              | Consider adding<br>2 x 1000mm                 | Q      |
| Material<br>Profile width<br>Profile Colour<br>Assembly<br>Graphic area                                    | Aluminium<br>50mm<br>Anodised<br>Connectors assemble usi                                       |              | Consider adding<br>2 x 1000mm                 | Q      |
| Vector Me<br>Vaterial<br>Profile width<br>Profile Colour<br>Assembly<br>Graphic area<br>Graphic attachment | Aluminium<br>50mm<br>Anodised<br>Connectors assemble usi<br>Single and double-sided<br>SEG 3mm |              | Consider adding<br>2 x 1000mm                 | Q      |



## VECTOR


## Vector standard stand designs

This section showcases examples of various pre-configured Vector Stands that can be achieved using the various Vector hardware and ancillaries.

#### Vector Stand 9m<sup>2</sup>

| aterial          | Aluminium                           |
|------------------|-------------------------------------|
| ofile width      | 50mm                                |
| ofile Colour     | Anodised                            |
| sembly           | Connectors assemble using Allen key |
| aphic area       | Single or double-sided              |
| aphic attachment | SEG 3mm                             |
|                  |                                     |
|                  |                                     |

| Module B (x2)       | MODULE-VFF-B   |  |
|---------------------|----------------|--|
| Module G            | MODULE-VFF-G-2 |  |
| Pair of angled feet | SLF1P          |  |




24

## VECTOR

### Vector Stand 12m<sup>2</sup> - Design 1

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 50mm                                |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Graphic area       | Single or double-sided              |
| Graphic attachment | SEG 3mm                             |
|                    |                                     |

| Module C (x2)                      | MODULE-VFF-C   |
|------------------------------------|----------------|
| Traverse 900 mm (x3)               | LN605-900-L2   |
| Module F                           | MODULE-VFF-F-2 |
| Module V (x4)                      | MODULE-LN-V    |
| Module L                           | MODULE-VFF-L   |
| Module E (x2)                      | MODULE-VFF-E   |
| Cross bar 950 mm (x12)             | LN605-950-L2   |
| Vector Curved Counter-top<br>Black | VCCB-BK        |
| Pair of angled feet                | SLF1P          |



EU GTEX

Vector Stand 12m<sup>2</sup>- Design 2

| Material            | Aluminium                           |  |
|---------------------|-------------------------------------|--|
| Profile width       | 50mm                                |  |
| Profile Colour      | Anodised                            |  |
| Assembly            | Connectors assemble using Allen key |  |
| Graphic area        | Single or double-sided              |  |
| Graphic attachment  | SEG 3mm                             |  |
|                     |                                     |  |
| Module C            | MODULE-VFF-C                        |  |
| Module H            | MODULE-VFF-H                        |  |
| Module G            | MODULE-VFF-G3-2                     |  |
| Module B (x2)       | MODULE-VFF-B                        |  |
| Pair of angled feet | SLF1P                               |  |

00

100









Square post to create 90° angles

Return with lock and key set





.0


Vector graphic

Return with lock and key set

26

Spots Exhibition

EU GTEX







#### Vector Stand 15m<sup>2</sup> - Design 1 Material Aluminium Profile width 50mm Profile Colour Anodised Assembly Connectors assemble using Allen key В Graphic area Single or double-sided G3 Graphic attachment SEG 3mm 2,5 m Module G3 MODULE-VFF-G3-2 Module B (x2) MODULE-VFF-B VSCB-BI Vector Straight Wooden Counter-top 3 m \_\_\_\_ 5 m SLF1P Pair of angled feet $\sum$ 4 UICKS QuickSu Scalable stands go from 9m<sup>2</sup> to 15m<sup>2</sup> QuickSur QuickSur





Possibility to add LED spotlights Exhibition Code: LED-EXHIB-ARM-BDLK

Return with lock and key set

EU OTEX

#### Vector Stand 15m<sup>2</sup> - Design 2

| Aluminium              |   |
|------------------------|---|
| 50mm                   |   |
| Anodised               |   |
| Connectors             | assemble using Allen key                                  |
| Single or double-sided |   |
| SEG 3mm                |   |
|                        |   |
|                        | MODULE-VFF-F-2  |
|                        | MODULE-VFF-B  |
|                        | MODULE-VFF-C  |
|                        | MODULE-VFF-J  |
|                        | MODULE-VFF-O  |
|                        | MODULE-VFF-E  |
|                        | MODULE-VFF-K  |
| :k                     | VSCB-BK   |
|                        | SLF1P   |
|                        | 50mm<br>Anodised<br>Connectors<br>Single or do<br>SEG 3mm |








Square post to create 90° angles

Return with lock Possibility to add LED spotlights Exhibition Code: LED-EXHIB-ARM-BDLK and key set

#### 28

EU OTEX






### **Vector Modules extensions**

### Vector Stand 15m<sup>2</sup> - Design 3

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 50mm                                |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Graphic area       | Single or double-sided              |
| Graphic attachment | SEG 3mm                             |
|                    |                                     |

| Module G3                            | MODULE-VFF-G3-2R |
|--------------------------------------|------------------|
| Module A                             | MODULE-VFF-A     |
| Module B (x1)                        | MODULE-VFF-B     |
| Module C (x2)                        | MODULE-VFF-C     |
| Module I                             | MODULE-VFF-I     |
| Vector LED sign                      | VLBH125-PAN-250  |
| Pair of angled feet                  | SLF1P            |
| Vector straight counter-top<br>White | VSCB-WH          |
| Slim round Ø1000mm                   | VWFC-1000        |
| Slim round Ø400mm                    | VWFC-400         |



EU OTEX



New shelves assemble tool-free





Vector graphic

Foot SLF1P

Spots LED-STRIP-ARM-BDLK



VECTOR

Material

Assembly

| MODULE-VFF-G-2  |
|-----------------|
| MODULE-VFF-B    |
| MODULE-VFF-C    |
| MODULE-VFF-H    |
| VLBH125-PAN-250 |
| SLF1P           |
| VCCB-BK         |
|                 |







Rounded corner for a full graphic

Return with lock and key set

Literature holder


30

EU

#### Vector Stand 24m<sup>2</sup>

| Material    |          | Aluminium                           |
|-------------|----------|-------------------------------------|
| Profile wid | th       | 50mm                                |
| Profile Col | our      | Anodised                            |
| Assembly    |          | Connectors assemble using Allen key |
| Graphic ar  | ea       | Single or double-sided              |
| Graphic at  | tachment | SEG 3mm                             |

| Module B (x2)                         | MODULE-VFF-B   |
|---------------------------------------|----------------|
| Module N (x2)                         | MODULE-VFF-N   |
| Module D (x2)                         | MODULE-VFF-D   |
| Module C                              | MODULE-VFF-C   |
| Module F                              | MODULE-VFF-F-2 |
| Module E (x4)                         | MODULE-VFF-E   |
| Module Q                              | MODULE-VFF-Q   |
| Posts (x2) 1000 mm                    | LN616-CUSTOM-M |
| Pair of angled feet                   | SLF1P          |
| Vector Straight Wooden<br>Counter-top | VSCB-BI        |
|                                       |                |



EU OTEX

## VECTOR

### Vector free-standing module configurations and ancillaries EU GTEX 3m Wall Material 50 mm aluminium profile frame Ideal for creating large Fabric graphic with 3mm SEG Graphic picture walls or partitions Module A (x1) MODULE-VFF-A L OLITA LN155 Pair of half-moon feet EU GTEX Enhance engagement! Attach LED spotlights to your free-standing frames to Module A (x2) MODULE-VFF-A Flat feet (x4) LN155 make graphics bright and eye-catching 5 A Assemble several A modules to create very large picture walls 7 Stabilising feet For optimal stability of your structures, add feet at regular intervals.











Square post to create 90° angles Return with lock and key set

Literature holder

#### 6m Wall





### **Vector Modules ancillaries**

#### **Quick-fix Mounting Bracket**

For hanging frames on shell schemes

Mounting bracket LN134

#### Quarter Side Feet (pair)





#### Flat Foot for retail

Metal foot for free-standing frames Available colour:

FX295 \_\_\_\_\_ 7(h) x 180(w) x 550(d) mm

#### **Flat Foot**

Metal foot for free-standing frames

LN155 \_\_\_\_\_ 7(h) x 75(w) x 450(d) mm

#### **LCD Mounts**

Mounts onto poles or crossbars

LN124A-01 O, screens 32" x 55" (81 x 139 cm)







### **Custom Vector stands**

The Vector range offers a versatile and adaptable solution for any event. The frame system is scalable and reconfigurable and are dressed with an optional custom printed stretched fabric graphic. The Vector range offers a versatile and adaptable solution for any event.

#### Vector Custom Stand 24m<sup>2</sup>

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 50mm                                |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Graphic area       | Single or double-sided              |
| Graphic attachment | SEG 3mm                             |
|                    | E                                   |



#### Vector Custom Stand 40m<sup>2</sup>

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 50mm                                |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Graphic area       | Single or double-sided              |
| Graphic attachment | SEG 3mm                             |
|                    |                                     |





## VECTOR

#### Vector Custom Stand 40m<sup>2</sup>

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 50mm                                |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Graphic area       | Single or double-sided              |
| Graphic attachment | <image/>                            |

#### Vector Custom Stand 50m<sup>2</sup>

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 50mm                                |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Graphic area       | Single or double-sided              |
| Graphic attachment | SEG 3mm                             |
|                    |                                     |




### Vector Custom Stand 60m<sup>2</sup> - Design 1

| Material           | Aluminium                           |  |
|--------------------|-------------------------------------|--|
| Profile width      | 50mm                                |  |
| Profile Colour     | Anodised                            |  |
| Assembly           | Connectors assemble using Allen key |  |
| Graphic area       | Single or double-sided              |  |
| Graphic attachment | SEG 3mm                             |  |
|                    |                                     |  |



### Vector Custom Stand 60m<sup>2</sup> - Design 2

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 50mm                                |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Graphic area       | Single or double-sided              |
| Graphic attachment | SEG 3mm                             |





#### Vector Custom Stand 80m<sup>2</sup>

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 50mm                                |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Graphic area       | Single or double-sided              |
| Graphic attachment | SEG 3mm                             |








#### Vector Quick-fix Hanging Kit

The Vector Quick-fix Hanging Kit is a sleek 20mm low profile aluminium extrusion frame for optional SEG dye-sublimated fabric display graphics that simply push-fits into the frame's channel in a matter of seconds. Frames can be hung on a pre-built stand wall: a practical and economical way to decorate your stands.

| Material           | Anodised aluminium  |
|--------------------|---|
| Profile width      | 20mm  |
| Profile Colour     | Silver  |
| Assembly           | Assemble the post and crossbar by locking with an Allen key |
| Mounting           | Connects to a shell scheme with bracket fixing              |
| Graphic area       | Single sided  |
| Graphic attachment | SEG 3mm   |
| Availability       | Made to order   |
|                    |   |


| Hanging frame 2350 x 950 mm  | VHQF-950-S  | ര്_ 950(w) x 2350  |
|------------------------------|-------------|--------------------|
| Hanging frame 2350 x 1850 mm | VHQF-1850-S | ര്വ് 1850(w) x 235 |
| Hanging frame 2350 x 2850 mm | VHQF-2850-S | ര്_ 2850(w) x 235  |
|                              |             |                    |







LN134 mounting bracket



50(h) x 20(d) mm

350(h) x 20(d) mm

350(h) x 20(d) mm

An economical and elegant way to dress up your stand




A wide range of profiles

## Linear

### Versatility of profiles and print media

#### Linear assembly principles



## Channelled profiles and crosspieces in anodised aluminium:



LN618 - Round post 50mm 8 connections





**LN616** - Square post 50mm 8 connections




LN607 - Square post

ø


LN605 - Beam 45mm LN619 - Oval Beam 50mm



Whatever media you wish to use, you can choose to dress the structure entirely or partially.



PVC (1mm) graphics require the use of an adhesive magnetic tape which will be positioned on the back of the graphic with a metal strip that adheres to the structure.




Rigid panel graphics (5mm) allow the panel to fit directly into the channel of the post. If you wish to cover the entire structure, male and female hook and loop fasteners are used on the back and on the structure.

### **Linear Modules**

The Linear range is made up of different aluminium profiles and is intended to provide an alternative to fabric-covered structures. The construction of grooved poles and reinforcing crosspieces allows the structures to be fitted with flexible PVC or rigid panel graphics.

Linear Modules are made up of aluminium posts and cross beams cut into 1.25m sections and are available in five different shapes: connecting posts, straight walls, curved walls, and returns. Create stands of all sizes or shapes and accessorise them with spotlights, counters and literature holders.






### **Linear Modules**

The Linear range is available in 5 modules that can be combined to create different configurations.

Posts are cut into 1.25m sections, making them easy to transport and store. They are ready to be used with custom printed graphics.



convex position

| Profile width   |   |   |       |
|---|---|---|-------|
| Assembly  | 50mm  | tors assemble using Allen key   |       |
| Assembly<br>Graphic option  |   | ctors assemble using Allen key<br>e PVC or rigid panel  |       |
| - spine option  | Kollabi   | or rigid parter   |       |
| Module V  | MODULE-LN-V   | ്ര_ 50(w) x 2500(h) x 50(d) r   | nm    |
| Module  | W   |   | EU    |
| 1 Post and 3 cros   | sbeams  |   |       |
| Material  | Alumin  | ium   |       |
| Profile width   | 50mm  |   |       |
| Assembly  |   | ctors assemble using Allen key  |       |
| Graphic option  | Rollable  | e PVC or rigid panel  |       |
| Module W 950mm  | n MODULE-LN-W   | ල 950(w) x 2500(h) x 50(d)  | mm    |
| Module  | X   | 5   | EU    |
|   |   | Add beams for   |       |
| 1 Post and 3 cros   |   | custom width size   | 2S    |
| Material  | Alumin  |   |       |
| Profile width   | 50mm  | -   |       |
| Assembly<br>Graphic option  |   | ctors assemble using Allen key<br>e PVC or rigid panel  |       |
|   | Kollabi   | erve of figue parter  |       |
| Module X 1050mr   | m MODULE-LN-X   | j 1050(w) x 2500 (h) x 50(  | d) mm |
|   |   |   |       |
| Module  | Y   |   | EU    |
|   | <b>Y</b><br>bock and threshold b  | par included  | EU    |
| Cupboard with lo  |   |   | EU    |
| Cupboard with lo<br>Material  | ock and threshold b   |   | EU    |
| Cupboard with lo<br>Material<br>Profile width   | ock and threshold b<br>Alumin<br>50mm   |   | EU    |
| Cupboard with lo<br>Material<br>Profile width<br>Assembly   | ock and threshold l<br>Alumin<br>50mm<br>Connec   | ium   | EU    |
| Cupboard with lo<br>Material<br>Profile width<br>Assembly   | ock and threshold l<br>Alumin<br>50mm<br>Connec   | ium<br>ttors assemble using Allen key   |       |
| Cupboard with lo<br>Material<br>Profile width<br>Assembly<br>Graphic option<br>Module Y   | ock and threshold h<br>Alumin<br>50mm<br>Connec<br>Rollabl  | ium<br>ctors assemble using Allen key<br>e PVC or rigid panel                                 |       |
| Cupboard with lo<br>Material<br>Profile width<br>Assembly<br>Graphic option<br>Module Y   | MODULE-LN-Y   | ium<br>ctors assemble using Allen key<br>e PVC or rigid panel                                 |       |
| Cupboard with lo<br>Material<br>Profile width<br>Assembly<br>Graphic option<br>Module Y<br>Module Y<br>Crossbar set, (po                              | MODULE-LN-Y   | ium<br>ttors assemble using Allen key<br>e PVC or rigid panel<br>                             |       |
| Cupboard with lo<br>Material<br>Profile width<br>Assembly<br>Graphic option<br>Module Y<br>Module Y<br>Crossbar set, (po<br>Material                  | Alumin<br>Somm<br>Connec<br>Rollable<br>MODULE-LN-Y   | ium<br>ttors assemble using Allen key<br>e PVC or rigid panel<br>                             |       |
| Cupboard with lo<br>Material<br>Profile width<br>Assembly<br>Graphic option<br>Module Y<br>Module Y<br>Crossbar set, (po<br>Material<br>Profile width | Alumin<br>Somm<br>Connec<br>Rollable<br>MODULE-LN-Y   | ium<br>ttors assemble using Allen key<br>e PVC or rigid panel<br>                             |       |
| Material<br>Profile width<br>Assembly<br>Graphic option   | Alumin<br>Somm<br>Connec<br>Rollable<br>MODULE-LIN-Y<br>Sts not included)<br>Alumin<br>Somm<br>Connec | ium<br>tors assemble using Allen key<br>e PVC or rigid panel<br>@ 1000(w) x 2500(h) x 1000(d) |       |

Module V

EU

### Linear standard stand designs

#### Linear Stand 9m<sup>2</sup>

| Material Al        | uminium                          |
|--------------------|----------------------------------|
| Profile width 50   | mm                               |
| Assembly Co        | onnectors assemble using Allen I |
| Graphic option Ro  | ollable PVC or rigid panel       |
|                    |                                  |
| Module W (x6)      | MODULE-LN-W                      |
| Module V           | MODULE-LN-V                      |
| Square foot (pair) | SLF1P                            |
| Spots + fixations  | PS950-1000-LED-BDLK              |







Quarter foot

Possibility to add LED spotlights Code: LED-EXHIB-ARM-B 50mm square post 8 connections





Simple assembly

#### Linear Stand 15m<sup>2</sup>

| Material<br>Profile width<br>Assembly<br>Graphic option | Aluminium<br>50mm<br>Connectors assemble using Allen key<br>Rollable PVC or rigid panel |
|---|---|
|   |   |
| Module W (x2)   | MODULE-LN-W   |
| Module V (x2)   | MODULE-LN-V   |
| Module Z (x2)   | MODULE-LN-Z   |
| Module Y  | MODULE-LN-Y   |
| Pair of angled feet                                     | SLF1P   |
| Spots + fixations                                       | PS950-1000-LED-BDLK<br>(x2) + US-LINEAR (x4)  |



EU

#### Linear Stand 18m<sup>2</sup>

| Material           |  | Aluminium                                    |  |
|--------------------|--|--|--|
| Profile width      |  | 50mm   |  |
| Assembly Co        |  | ectors assemble using Allen k                |  |
| Graphic option Rol |  | ble PVC or rigid panel                       |  |
|                    |  |  |  |
| Module V (x2)      |  | MODULE-LN-V                                  |  |
| Module W (x4)      |  | MODULE-LN-W                                  |  |
| Module X (x2)      |  | MODULE-LN-X                                  |  |
| Module Y           |  | MODULE-LN-Y                                  |  |
| Module Z           |  | MODULE-LN-Z                                  |  |
| Square foot (pair) |  | SLF1P  |  |
| Spots + fixations  |  | PS950-1000-LED-BDLK (x4)<br>+ US-LINEAR (x8) |  |

 $\Lambda$ 

Large format curved graphic



110



Possibility to add LED spotlights Code: LED-EXHIB-ARM-B



Quarter foot



Curved crossbeams



Secure closure






Secure closure

Possibility to add LED spotlights Code: LED-EXHIB-ARM-B





Simple assembly



## Linear custom stand designs

#### Linear Custom Stand 16m<sup>2</sup>

| Material       |
|----------------|
| Profile width  |
| Assembly       |
| Graphic option |

Aluminium 50mm Connectors assemble using Allen key Rollable PVC or rigid panel



#### Linear Custom Stand 24m<sup>2</sup>

| Material       | Aluminium                           |
|----------------|-------------------------------------|
| Profile width  | 50mm                                |
| Assembly       | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel         |
|                |                                     |



#### Linear Custom Stand 36m<sup>2</sup>

| Material       | Aluminium                           |
|----------------|-------------------------------------|
| Profile width  | 50mm                                |
| Assembly       | Connectors assemble using Allen key |
| Graphic option | Rollable PVC or rigid panel         |
|                |                                     |

### Linear ancillaries

#### Dome Base (single)

LN102 (Foot) 🙆 🖉 450 mm

#### Quarter Foot (single)

Weights: 1,2 kg

SLF1P (0, 220(w) x 220(h) x 5(d) mm

#### Flat Foot (single)

Metal for self-supporting frame Weights: 1,75 kg

LN155 O\_ 7(h) x 100(w) x 450(d) mm

#### **LCD Screen Bracket**

Mounting on post or crossbar

LN124A-01 O, Screen 32" - 55" (81 - 130 cm) LN124-03 O, Screen 37" - 70" (94 - 177 cm)

#### Roll of magnetic tape

EM301 Polarity A-30m x 12,7 mm

#### Steel tape

EM351 15m x 12,7 mm













## **Arena Structures**


### Arena Gantry structures for your stand

These 25mm diameter aluminium tubes have been assembled and welded into sections of various sizes to form the basis of an imposing and solid architecture.

A wide range of sections are available to make this solution compatible with your project requirements. With 14 components in various lengths and designs, you can create the right structure for you, and your chosen mode of transport.

#### Simple, tool-free assembly

Simple assembly - sections are connected using the supplied bolt and wing-nut fixings, and no tools are required. The double-sided graphics are attached to the gantry using a bungee cord. Create maximum brand visibility with up to 6m sections without the need for reinforcement.



### Arena components

#### **Arena Straight Sections**

The Arena Straight Sections are available in a variety of lengths, they are strong but lightweight with a natural silver grey finish. The system is quick and easy to assemble using bolt and wing-nut fixings. This aluminium tubular system is both modular and scalable, where different sections can be assembled and reused according to the needs of each project. The structure can then be dressed with interchangeable UV printed PVC graphics.

| UT-S250  | Section 250mm  |
|----------|----------------|
| UT-S500  | Section 500mm  |
| UT-S750  | Section 750mm  |
| UT-S1000 | Section 1000mm |
| UT-S1250 | Section 1250mm |
| UT-S1500 | Section 1500mm |
| UT-S2000 | Section 2000mm |
|          |                |

#### **Arena Junction Sections**

The Arena Junction Sections are available in a variety of configurations from: 3-way T-junction, 4-way corner junction, 5-way corner junction, and 6-way junction. The choice of sections enables a custom build design for your application to create a modular and scalable system. The structure can then be dressed with interchangeable UV printed PVC graphics.





90° angle 2 connections UT-C21

Corner connection 3 connections UT-C30





4-way corner connector UT-C41

Foot 250mn UT-BS250





T-junction 3 connections UT-C35



T-junction 4 connections UT-C40



Foot triangle UT-AF250

## Arena Gantry stand designs

#### Arena Custom Stand 16m<sup>2</sup>

| Material           | Aluminium              |
|--------------------|------------------------|
| Colour             | Anodised               |
| Graphic area       | Single or double-sided |
| Graphic attachment | Bungee fixings         |
| Graphic option     | Vinyl                  |




#### Arena Custom Stand 36m<sup>2</sup>

| Material           | Aluminium              |
|--------------------|------------------------|
| Colour             | Anodised               |
| Graphic area       | Single or double-sided |
| Graphic attachment | Bungee fixings         |
| Graphic option     | Vinyl                  |
|                    |                        |

## Arena Gantry free-standing design

#### Arena Custom Structure


| Material           | Aluminium              |
|--------------------|------------------------|
| Colour             | Anodised               |
| Graphic area       | Single or double-sided |
| Graphic attachment | Bungee fixings         |
| Graphic option     | Vinyl                  |



#### Arena Hanging Structure

The Arena structure is a tubular aluminium stage structure used as a light bridge or suspended sign with 6m sides to draw attention to your brand.

| Material           | Aluminium              |  |
|--------------------|------------------------|--|
| Colour             | Anodised               |  |
| Graphic area       | Single or double-sided |  |
| Graphic attachment | Bungee fixings         |  |
| Graphic option     | Vinyl                  |  |
|                    |                        |  |





## **Hanging Structures**

#### Vector 125mm LED Hanging Structure

The robust 125mm Vector LED profile can support larger scale applications whilst still remaining sleek and eye-catching. The plug and play LED lighting system is linkable so it is great for standard and custom size displays. Perfectly suits vibrant SEG lightbox graphics which are available to order if required.

| Material           | Aluminium                           |
|--------------------|-------------------------------------|
| Profile width      | 125 mm                              |
| Profile Colour     | Anodised                            |
| Assembly           | Connectors assemble using Allen key |
| Double-sided       | Double-sided                        |
| Mounting           | Sling (cables not included)         |
| Graphic attachment | SEG 3mm                             |
| LED System         | Pre-installed LED lighting          |
|                    |                                     |

| Vector 125 led 2,5m | VLBH125-PAN-250 | စြ္ 2500(w) x 1000(h) x 125(d) mm  |
|---------------------|-----------------|------------------------------------|
| Vector 125 led 3,5m | VLBH125-PAN-350 | ര്_ 3500(w) x 1000(h) x 125(d) mm  |
| Vector 125 led 5m   | VLBH125-PAN-500 | ര്വ_ 5000(w) x 1250(h) x 125(d) mm |









Cable system

LED strip lighting

with screw-in connectors

Mitred sections assemble Graphic attaches with silicone edging (SEG)



### Non-illuminated hanging structures

#### **Formulate Square Hanging Structure**

Formulate suspended signs have been specially designed to allow for easy and safe installation. The lightweight aluminium tubular structure makes them ideal for use on exhibition stands, in shopping arcades or in high traffic areas.

| Material              | Aluminii             | um tubes                            |                            |
|-----------------------|----------------------|-------------------------------------|----------------------------|
| Tube                  | Ø 30 mr              | n                                   |                            |
| Assembly              | Push-fit             | button                              |                            |
| Shape                 | Square               |                                     |                            |
| Graphic area          | Double-              | sided                               |                            |
| Graphic attachment    | Zipped t             | ension fabric graphic               |                            |
| Application           | Suspend<br>Pitons ir | ded<br>ncluded, Slings not included |                            |
| Availability          | Basic ra             | nge - in stock                      |                            |
| Square Formulate 800  |                      | FORM-SQU-80                         | 1500(w) × 800(h) × 150     |
| Square Formulate 1000 |                      | FORM-SQU-100                        | ര്_ 3000(w) × 1000(h) × 30 |
| Square Formulate 1500 |                      | FORM-SQU-150                        | ල_ 4500(w) x 1500(h) x 45  |



5 TEX



500(d) mm

3000(d) mm

4500(d) mm


## Arch

#### Formulate Arch

When display formats become common place and no longer stand out then choose something with an innovative shape! The Formulate range offers a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning. The double-sided tension fabric graphics perfectly contour the shaped aluminium structures and maximise brand messaging.

| Material           | Aluminium                        |
|--------------------|----------------------------------|
| Tube               | 30mm Ø                           |
| Assembly           | Tool-free push-button connectors |
| Shape              | Arch                             |
| Graphic area       | Double-sided                     |
| Graphic attachment | Zipped tension-fit graphic       |
| Application        | Free-standing                    |
|                    |                                  |

| FORM-ARCH-01 [O] 4000(W) X 3000(R) X 900(d) mm |  | Formulate Arch | FORM-ARCH-01 | စြ_ 4000(w) x 3000(h) x 900(d) mm |
|--|--|----------------|--------------|-----------------------------------|
|--|--|----------------|--------------|-----------------------------------|







## **Display Backwalls**

Display Backwalls create a dramatic backdrop to events, presentations, product demonstrations, pop-up shops or window displays. They are also ideal for smaller spaces, or as large static advertising boards in public spaces such as museums, reception areas, public transportation hubs and other large spaces.

Segmented Frame Walls are fully configurable, professional grade backwalls, where flexibility, ease of storage, reusing, portability and assembly are important. The pop-up display backwalls are constructed from lightweight aluminium scissor mechanisms, that are easy to transport, assemble and store, and are ideal for small exhibitions or events, as well as static displays. For a simple backdrop, the Pegasus tension walls offer a cost effective, easy solution to meet those needs. Configurable in both height and width, the tension wall is quick to assemble and makes an ideal backdrop to temporary or short-term presentations.

## **Display Backwalls**

Our backwalls are available in several system configurations, depending on the application, with each offering a different method of construction, illumination and use.



### Illuminated pop-up backwalls

#### **Embrace+**

Bring drama and impact with large illuminated backwalls, U-shapes or seamless 90° corner walls using Embrace+; the premium portable LED tool-free system. Comes in a selection of sizes and is linkable so Embrace+ can fit and brighten-up any size event.

|            | Material           | Aluminium structure, plastic conn |   | ectors                             |  |
|------------|--------------------|-----------------------------------|---|------------------------------------|--|
|            | Assembly           | Lockin                            | Locking by clips, interlocking frame sections |                                    |  |
|            | Shape              | Straigh                           | nt  |                                    |  |
|            | Graphic area       | Single-                           | sided (with or without retur                  | ns) or double-sided                |  |
|            | Graphic attachment | Silicon                           | e Edged Gasket 3 mm (SEG)                     |                                    |  |
|            | Application        | Free-st                           | Free-standing                                 |                                    |  |
| LED System |                    | LED bar (optional)                |   |                                    |  |
|            | ſ                  |                                   |   |                                    |  |
|            | Embrace+ 3X1       |                                   | EMB-PL-3X1-S                                  | ര്വ് 774(w) x 2255(h) x 366(d) mm  |  |
|            | Embrace+ 3X2       |                                   | EMB-PL-3X2-S                                  | ര്വ_ 1508(w) x 2255(h) x 366(d) mm |  |
|            | Embrace+ 3X3       |                                   | EMB-PL-3X3-S                                  | ര്_ 2242(w) x 2255(h) x 366(d) mm  |  |
|            | Embrace+ 3X4       |                                   | EMB-PL-3X4-S                                  | ര്_ 2974(w) x 2255(h) x 366(d) mm  |  |





7

Carrying bag included



| Ancillaries |
|-------------|
|-------------|

| Straight Clamp | EMB-PL-CL-STR    | j_ N∕A |
|----------------|------------------|--------|
| External Clamp | EMB-PL-CL-EXTOR  | j N∕A  |
| Internal Clamp | EMB-PL-CL-INTCOR | j N∕A  |





Feet are adjustable for stability on uneven flooring Bungeed frame sections



### Non-illuminated pop-up backwalls

#### Impact Pop-up Straight

A great entry level display backwall that is perfect for use at an exhibition, event or for a demonstration backdrop. Frames are available in a variety of widths, and are quick and easy to deploy using the self-locating locking arms. Magnetic tape attaches to the back of the graphic panels enabling them to be attached directly to the mag bars which are mounted to the frames.

| Material           | Aluminiur  | n structure, plastic connecto | ors                       |
|--------------------|------------|-------------------------------|---------------------------|
| Assembly           | Magnetic   | connectors                    |                           |
| Shape              | Straight   |                               |                           |
| Graphic area       | Single-sid | ed (with or without D-ends)   | / double-sided (optional) |
| Graphic attachment | Mag bars,  | hangers and kickers           |                           |
| Application        | Free-stan  | ding                          |                           |
|                    |            |                               |                           |
| 3x1 Straight       |            | IMP-3X1S                      | 1240(w) x 2225(h) x 30    |

| 3x1 Straight | IMP-3X1S | ര്_ 1240(w) x 2225(h) x 306  |
|--------------|----------|------------------------------|
| 3x2 Straight | IMP-3X2S | ര്_ 1970(w) x 2225(h) x 306  |
| 3x3 Straight | IMP-3X3S | ര്_ 2700(w) x 2225(h) x 306  |
| 3x4 Straight | IMP-3X4S | ര്വ് 3435(w) x 2225(h) x 306 |
| 3x5 Straight | IMP-3X5S | ര്_ 4160(w) x 2225(h) x 306  |





Magnetic bars

3x5 Straight

Hook-over graphic attachment

#### Impact Pop-up Straight Bundle


Impact Pop-up bundles are a great entry level display backwall kit that contains everything you will need to get you up and running at a show, event or demonstration - they even come with a counter and lighting!

Magnetic Locking arms

|  | Material              | Aluminium structure, plastic connectors |                               |                                    |
|--|-----------------------|---|-------------------------------|------------------------------------|
|  | Assembly              | Mag                                     | gnetic connectors             |                                    |
|  | Shape                 | Stra                                    | aight                         |                                    |
|  | Graphic area          | Sing                                    | gle-sided (with or without D- | -ends) / double-sided (optional)   |
|  | Graphic attachment    | Mag                                     | g bars, hangers and kickers   |                                    |
|  | Application Free-stan |   | e-standing                    |                                    |
|  |                       |   |                               |                                    |
|  | 3x1 Straight          |   | 99-XX-105                     | ര്വ് 1240(w) x 2225(h) x 306(d) mm |
|  | 3x2 Straight          |   | 99-XX-106                     | ര്വ_ 1970(w) x 2225(h) x 306(d) mm |
|  | 3x3 Straight          |   | 99-XX-107                     | ര്_ 2700(w) × 2225(h) × 306(d) mm  |
|  | 3x4 Straight          |   | 99-XX-108                     | ര്_ 3435(w) x 2225(h) x 306(d) mm  |
|  |                       |   |                               |                                    |

#### Impact Pop-up Bundle

ര്വ് 4160(w) x 2225(h) x 306(d) mm



99-XX-109



306(d) mm

06(d) mm

6(d) mm

06(d) mm

6(d) mm











1x Roll of self-adhesive magnetic tape



Zenith transport case

Thermoformed table top in beech



2x PS950-1000 LED lights

#### **Impact Pop-up Curved**

A great entry level display backwall that is perfect for use at an exhibition, event or for a demonstration backdrop. Frames are available in a variety of widths, and are quick and easy to deploy using the self-locating locking arms. Magnetic tape attaches to the back of the graphic panels enabling them to be attached directly to the mag bars which are mounted to the frames.

| Material           | Aluminium structure, plastic connectors                         |
|--------------------|---|
| Assembly           | Magnetic connectors   |
| Shape              | Curved  |
| Graphic area       | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers                                   |
| Application        | Free-standing   |
|                    |   |

| 3x1 Curved | IMP-3X1C | ര്_ 1240(w) x 2225(h) x 306(d) mm  |
|------------|----------|------------------------------------|
| 3x2 Curved | IMP-3X2C | ര്വ_ 1930(w) x 2225(h) x 485(d) mm |
| 3x3 Curved | IMP-3X3C | 2540(w) x 2225(h) x 685(d) mm      |
| 3x4 Curved | IMP-3X4C | ര്_ 3070(w) x 2225(h) x 960(d) mm  |
| 3x5 Curved | IMP-3X5C | ര്_ 3430(w) x 2225(h) x 1225(d) mm |
|            |          |                                    |





Magnetic Locking arms



Magnetic bars

Hook-over graphic attachmen

#### **Impact Pop-up Curved Bundle**

Impact Pop-up bundles are a great entry level display backwall kit that contains everything you will need to get you up and running at a show, event or demonstration - they even come with a counter and lighting!

| Material           | Aluminium structure, plastic connectors                         |
|--------------------|---|
| Assembly           | Magnetic connectors   |
| Shape              | Curved  |
| Graphic area       | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers                                   |
| Application        | Free-standing   |
|                    |   |

Straight or

curved frame

system

| 3x2 Curved | 99-XX-110 | ര്_ 1930(w) x 2225(h) x 485(d) mm   |
|------------|-----------|-------------------------------------|
| 3x3 Curved | 99-XX-071 | ര്വ_ 2540(w) x 2225(h) x 685(d) mm  |
| 3x4 Curved | 99-XX-070 | ര്വ് 3070(w) x 2225(h) x 960(d) mm  |
| 3x5 Curved | 99-XX-111 | ര്വ് 3430(w) x 2225(h) x 1225(d) mm |

#### Impact Pop-up Bundle



62



Hangers, kickers

and mag bars







Thermoformed table top in

beech

2x PS950-1000 LED lights

#### Quick+ Straight Kit

The premium Quick+ Straight display backwall is a full magnetic system that can be used single or double-sided. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds straight out of the supplied protective padded bag giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a curved display and come in five different sizes.

| Mat  | erial           | Aluminium structure, plastic connectors                         |
|------|-----------------|---|
| Asse | embly           | Magnetic connectors   |
| Shap | pe              | Straight  |
| Grap | phic area       | Single-sided (with or without D-ends) / double-sided (optional) |
| Grap | phic attachment | Mag bars, hangers and kickers                                   |
| App  | lication        | Free-standing   |
| _    |                 |   |
|      |                 |   |

| x1 Straight | WH221-S-CA | <u>බ</u> 1240(w) x 2225(h) x 306(d) mm |
|-------------|------------|--|
| x2 Straight | WH222-S-CA | ര്വ് 1970(w) x 2225(h) x 306(d) mm     |
| x3 Straight | WH223-S-CA | ര്വ_ 2700(w) x 2225(h) x 306(d) mm     |
| x4 Straight | WH224-S-CA | ര്വ_ 3435(w) x 2225(h) x 306(d) mm     |
| x5 Straight | WH225-S-CA | ര്റ്റ 4160(w) x 2225(h) x 306(d) mm    |





Square end magnetic bars Magnetic Locking arms

Magnetic hanger

#### **Quick+ Straight Bundle**

The Premium Quick+ Straight Display Bundle includes the full magnetic display backwall kit which can be used single or double-sided, the unique Zenith transit case which converts to a counter and two PS950-1000 LED lights. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds, giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a curved display bundle and come in five different sizes.

|                     | Material           | Aluminium structure, plastic connector |  | rs                                 |  |
|---------------------|--------------------|--|--|------------------------------------|--|
| Assembly Magnetic c |                    | connectors                             |  |                                    |  |
|                     | Shape              | Straight                               |  |                                    |  |
|                     | Graphic area       | Single-side                            | ded (with or without D-ends) / double-sided (optional) |                                    |  |
|                     | Graphic attachment | Mag bars, I                            | nangers and kickers                                    |                                    |  |
|                     | Application        | Free-stand                             | ing  |                                    |  |
|                     | [                  |  |  |                                    |  |
|                     | 3x1 Straight       |  | 99-XX-100Q   | ര്വ് 1240(w) x 2225(h) x 306(d) mm |  |
|                     | 3x2 Straight       |  | 99-XX-101Q   | ര്വ_ 1970(w) x 2225(h) x 306(d) mm |  |
|                     | 3x3 Straight       |  | 99-XX-102Q   | ര്വ_ 2700(w) x 2225(h) x 306(d) mm |  |
|                     | 3x4 Straight       |  | 99-XX-103Q   | ര്വ_ 3435(w) x 2225(h) x 306(d) mm |  |
|                     | 3x5 Straight       |  | 99-XX-104Q   | ര്_ 4160(w) x 2225(h) x 306(d) mm  |  |

Quick+ Bundle



Quick+ Kit



Padded nylon carry bag

Ouick+ Structure Straight / Curved Hangers, kickers and mag bars

| 1x Roll of    |    |
|---------------|----|
| self-adhesive | tr |
| magnetic tape |    |
| magnetic tape |    |

Zenith ransport case









1x Roll of self-adhesive magnetic tape



Zenith transport case

Thermoformed table top in beech



2x PS950-1000 LED lights

#### Quick+ Curved Kit

The premium Quick+ Curved display backwall is a full magnetic system that can be used single or double-sided. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds straight out of the supplied protective padded bag giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a Straight Display and come in five different sizes.

| Material           | Aluminium structure, plastic connectors                         |            |                                    |
|--------------------|---|------------|------------------------------------|
| Assembly           | Magnetic connectors   |            |                                    |
| Shape              | Curved  |            |                                    |
| Graphic area       | Single-sided (with or without D-ends) / double-sided (optional) |            | ends) / double-sided (optional)    |
| Graphic attachment | Mag bars, hangers and kickers                                   |            |                                    |
| Application        | Free-stan   | ding       |                                    |
|                    |   |            |                                    |
| 3x1 Curved         |   | WH221-C-CA | ര്വ് 1240(w) x 2225(h) x 306(d) mm |
| 3x2 Curved         |   | WH222-C-CA | බ 1930(w) x 2225(h) x 485(d) mm    |

| 3x2 Curved | WH222-C-CA | 1930(w) x 2225(h) x 485(d) mm       |
|------------|------------|-------------------------------------|
| 3x3 Curved | WH223-C-CA | ര്വ് 2540(w) x 2225(h) x 685(d) mm  |
| 3x4 Curved | WH224-C-CA | ര്_ 3070(w) x 2225(h) x 960(d) mm   |
| 3x5 Curved | WH225-C-CA | ര്വ_ 3430(w) x 2225(h) x 1225(d) mm |







Square end magnetic bars Magnetic Locking arms

Magnetic hanger

#### **Quick+ Curved Bundle**

The Premium Quick+ Curved Display Bundle includes the full magnetic display backwall kit which can be used single or double-sided, the unique Zenith transfetic display backwall kit which can be used single or double-sided, the unique Zenith transit case which converts to a counter and two PS950-1000 LED lights. Use with optional interchangeable, vibrant UV printed PVC graphics. Deploys tool-free in seconds, giving you a brilliant backwall display for your event or shell scheme. Quick+ displays are also available in a straight display bundle and come in five different sizes.

| Material           | Aluminium structure, plastic connectors                         |
|--------------------|---|
| Assembly           | Magnetic connectors   |
| Shape              | Curved  |
| Graphic area       | Single-sided (with or without D-ends) / double-sided (optional) |
| Graphic attachment | Mag bars, hangers and kickers                                   |
| Application        | Free-standing   |
|                    |   |

| 3x2 Curved 99-XX-016Q (이 1930(w) x 2225(h) x 4  | 485(d) mm  |  |
|---|------------|--|
| 3x3 Curved 99-XX-017Q @_ 2540W) x 2225(h) x 6   | 685(d) mm  |  |
| 3x4 Curved 99-XX-020Q (한, 3070(w) × 2225(h) × 1 | 960(d) mm  |  |
| 3x5 Curved 99-XX-021Q @_ 3430(w) × 2225(h) x    | 1225(d) mm |  |

#### Quick+ Bundle



Padded nylon carry bag

Quick+ Kit



Ouick+ Structure

Straight / Curved



Hangers, kickers

and mag bars



1x Roll of

self-adhesive

magnetic tape



Zenith

transport case



table top in

beech



Thermoformed 2x PS950-1000 LED lights

PVC

#### Easy to transport

Plastic connectors

Graphics attach with hook and loop fastener

#### Hop-up Impact Straight

Impact Hop-ups are simple lightweight interlocking frame structures that deploy in minutes. Complete with tension-fit graphics that can stay on even when packed away.

| Material           | Aluminium structure, plastic connectors                           |        |                            |
|--------------------|---|--------|----------------------------|
| Assembly           | Lock together with clips  |        |                            |
| Shape              | Straight  |        |                            |
| Graphic area       | Single-sided (with or without returns) or double-sided (optional) |        |                            |
| Graphic attachment | Hook and loop   |        |                            |
| Application        | Free-standing   |        |                            |
|                    |   |        |                            |
| 3x1 quads          |   | HUI3X1 | 0_ 790(w) x 2260(h) x 295( |

| 3x1 quads HUI3X1 |                             |
|------------------|-----------------------------|
| 3x2 quads HUI3X2 | ര്_ 1525(w) x 2260(h) x 295 |
| 3x3 quads HUI3X3 | ര്_ 2260(w) x 2260(h) x 295 |
| 3x4 quads HUI3X4 | ලි_ 2995(w) x 2260(h) x 295 |
| 3x5 quads HUI3X5 | ര്_ 3730(w) x 2260(h) x 295 |





Graphics attach with hook Plastic connectors and loop fastener

Easy to transport

| Ancillaries :           |         |        |
|-------------------------|---------|--------|
| Stabilising feet (pair) | ES508   | O_ N/A |
| Wheeled bag             | HUB-001 | O_ N/A |

#### Hop-up Impact Curved

Impact Hop-ups are simple lightweight interlocking frame structures that deploy in minutes. Complete with tension-fit graphics that can stay on even when packed away.

| Material           | Aluminium structure, plastic connectors |
|--------------------|---|
| Assembly           | Lock together with clips                |
| Shape              | Curved                                  |
| Graphic area       | Single-sided (with or without returns)  |
| Graphic attachment | Hook and loop                           |
| Application        | Free-standing                           |
|                    |   |

| 3x3 quads | HOP-2-3X3-C | ്ര_ 2310(w) x 2270(h) x 5 |
|-----------|-------------|---------------------------|
| 3x4 quads | HOP-2-3x4-C | ര്_ 2950(w) x 2260(h) x 8 |














570(d) mm

810(d) mm





### Non-illuminated fabric tube walls

#### **Formulate Straight**

Formulate Straight backwalls are constructed of lightweight 30mm diameter push-fit aluminium tubing for tool-free simple deployment. Complete with optional double-sided dye-sublimated tension-fit fabric graphics that zip at the base to perfectly contour the shaped aluminium structure and maximize your brand message. Formulate displays offer a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning.

| Material           | Aluminium tubing                   |
|--------------------|------------------------------------|
| Tube               | Ø 30 mm                            |
| Assembly           | Push-fit / Allen key               |
| Shape              | Straight                           |
| Graphic area       | Double-sided                       |
| Graphic attachment | Zipped tension fabric graphic      |
| Application        | Free-standing with feet (included) |
|                    |                                    |

| FORM-STR-24 | စြ_ 2350(w) × 2380(h) × 400(d) mm         |
|-------------|---|
| FORM-STR-30 | စြို 2950(w) × 2380(h) × 400(d) mm        |
| FORM-STR-40 | ලි_ 3950(w) × 2380(h) × 400(d) mm         |
| FORM-STR-50 | ര്_ 4950(w) x 2380(h) x 400(d) mm         |
| FORM-STR-60 | ര്_ 5920(w) x 2380(h) x 400(d) mm         |
|             | FORM-STR-30<br>FORM-STR-40<br>FORM-STR-50 |



#### **Formulate Horizontal Curve**

Formulate Horizontal Curve displays are an eye-catching shape, constructed of lightweight 30mm diameter push-fit aluminium tubing, combine with a zipped tension-fit graphics for tool-free impressive backwalls. Formulate displays offer a variety of great shapes with clean lines, ideal for creating picture backwalls or defining areas in rooms by screening or zoning. The optional double-sided tension fabric graphics perfectly contour the shaped aluminium structures and maximise your brand message.

| Material           | Aluminium tubes               |
|--------------------|-------------------------------|
| Tube               | Ø 30 mm                       |
| Assembly           | Push-fit button               |
| Shape              | Horizontal curve              |
| Graphic area       | Double-sided                  |
| Graphic attachment | Zipped tension fabric graphic |
| Application        | Free-standing                 |

| 2400 mm | FORM-CUR-24 | ര്വ് 2350(w) x 2380(h) x 500(d) mm |
|---------|-------------|------------------------------------|
| 3000 mm | FORM-CUR-30 | ര്വ 2950(w) x 2380(h) x 500(d) mm  |
| 6000 mm | FORM-CUR-60 | ര്വ_ 5950(w) x 2380(h) x 900(d) mm |
|         |             |                                    |











Zipped tension fabric graphic

Bungee tubes

Numbered system for easy assembly

Possibility to add LED Spotlights and Ancillaries



5 TEX

5 TEX

#### **Formulate Meeting Pod**

Formulate Meeting Pods are an eye-catching and functional way to create a simple break-out area from lightweight 30mm diameter push-fit aluminium tubing and optional zipped tension-fit graphics for tool-free impressive structure. Formulate displays offer a variety of great shapes with clean lines, ideal for creating shapes or defining areas in rooms by screening or zoning. The double-sided tension fabric graphics perfectly contour the shaped aluminium structures and maximise your brand message.

| Material           | Aluminium tubes               |
|--------------------|-------------------------------|
| Tube               | Ø 30 mm                       |
| Assembly           | Push-fit button               |
| Shape              | Curved                        |
| Graphic area       | Double-sided                  |
| Graphic attachment | Zipped tension fabric graphic |
| Application        | Free-standing                 |
|                    |                               |

| Formulate Meeting Pod | FORM-MPOD-01 | 0 | 2900(w) x 2100(h) x |
|-----------------------|--------------|---|---------------------|
|                       |              |   |                     |







fabric graphic

Bungee tubes

Numbered system for easy assembly

5 TEX

x 2550(d) mm

## Non-illuminated segmented frame walls

|                       | mm Kit   | EU 🖉   | Baseline P   | anel a                       | and Pole K                                | (its   |
|-----------------------|--|--|--|------------------------------|---|--|
| ease of transportatio | ee-standing frame, packs down for<br>n and available in a wide range of sizes<br>G graphic creating the perfect look for |  | can be positioned in m                             | ultiple ways                 | and come in two heig                      | tion. Baseline Panel and Pol<br>ghts (600mm or 700mm) an<br>uded and kits are manufact |
| Material              | Aluminium  |  | Material   | PVC / Alumi                  | inium                                     |  |
| rofile width          | 50 mm  |  | Profile Colour                                     | Grey                         |   |  |
| ofile colour          | Anodised   |  | Finishes   | Baseline bo                  | oard with grey PVC or alum                | ninium frame /   |
| mbly                  | Push-button connector, Allen key   |  | Graphic area                                       | Baseline Plu<br>Single or do | us board with grey PVC fra<br>ouble-sided | ame  |
| hic attachment        | Silicone Edged Gasket 3 mm (SEG)   |  | Graphic attachment                                 | Hook fixing                  |   |  |
| iphic area            | Single or double-sided   |  | Graphic option                                     |                              |   | ement printed panels (3mm)   |
| oplication            | Free-standing with flat feet (included)  |  | Application  | Free-standi                  | ing with stabilising feet (in             | cluded)  |
| Kit 2x1 VKF-          | 2x1 ( 1000(w) x 2005(h) x 350(d) mm  | N MILL   | 4 Panel Kit - Aluminium                            |                              | KK104A                                    | 900(w) X 600(h) mm   |
| 2x2 VKF-<br>2x3 VKF-  |  | NIE  | 4 Panel Kit - Baseline                             |                              | KK104G                                    | ര്_ 900(w) X 600(h) mm   |
| VKF-                  | 2x3 O_ 3000(w) x 2005(h) x 350(d) mm   | VECTOR KIT   | 4 Panel Kit - Baseline Plus                        |                              | KKP104-96G                                | ര്വ് 900(w) X 600(h) mm  |
|                       | Connect several kits together for  | 50MM   | 6 Panel Kit - Aluminium                            |                              | KK106A                                    | ര്വ് 900(w) X 600(h) mm  |
|                       | larger displays  | Mark Street B  | 6 Panel Kit - Baseline                             |                              | KK106G                                    | 900(w) X 600(h) mm   |
|                       | Ç.   |  | 6 Panel Kit - Baseline Plus                        |                              | KKP106-96                                 | ര്വ് 900(w) X 600(h) mm  |
|                       | 1//  |  | 8 Panel Kit - Aluminium                            |                              | KK108A                                    | <u>ര</u> ്, 900(w) X 600(h) mm   |
|                       | A PARA   |  | 8 Panel Kit - Baseline                             |                              | KK108G                                    | ര്വ_ 900(w) X 600(h) mm  |
|                       | VECTOR KIT   |  | 8 Panel Kit - Baseline Plus                        |                              | KKP108-96G                                | ര്_ 900(w) X 600(h) mm   |
|                       | SUMM   |  | 10 Panel Kit - Baseline                            |                              | KK10G                                     | ര്വ് 900(w) X 600(h) mm  |
|                       |  |  | 10 Panel Kit - Baseline Plus                       |                              | KKP110-96G                                | ര്_ 900(w) X 600(h) mm   |
|                       | SP-AUX-  |  | 6 Danal Beacher Div                                |                              | VVD106 1070                               | Q 700/b) - 1000/ -)  |
|                       |  | 1 to the second se | 6 Panel - Baseline Plus<br>8 Panel - Baseline Plus |                              | KKP106-107G<br>KKP108-107G                | (a) 700(h) × 1000(w) mm (b) × 1000(w) mm   |
|                       |  |  | 10 Panel - Baseline Plus                           |                              | KKP108-107G                               | ල_ 700(h) × 1000(w) mm<br>ල_ 700(h) × 1000(w) mm                                       |
|                       | the second se          |  |  |                              | -   |  |
|                       |  |  | Ancillaries :                                      |                              |   |  |
|                       |  | -  | Circular feet grey                                 |                              | LB913S-C                                  |  |
|                       |  |  | Header panel                                       |                              | BH153G                                    | ര്_ 250mm x 600mm  |
|                       |  |  |  |                              |   | ര്_ 250mm x 900mm  |

Flat foot included

Fabric graphic attaches with silicone edging (SEG)

Screw several frames together

Push-button assembly

of corner sections



 Baseline PVC
 Baseline Plus PVC
 Aluminium baseline

 (thickness 18.2 mm)
 (thickness 25 mm)
 (thickness 18.2 mm)

## 

. Baseline Panel and Pole kits (600mm or 700mm) and Each panel can be assembled ed and kits are manufactured horizontally or vertically V nt printed panels (3mm) 6 Panel and Pole Kit (header panel optional extra) ര്\_ 700(h) x 1000(w) mm 10 Panel Kit (header panel optional extra)

8 Panel Kit

10 Panel Kit

#### **Baseline Jumbo Panel Kits**

Baseline Jumbo Panel Kits are easy to assemble and are reconfigurable and re-positionable. Panels are hinged and free-standing. Position panels in multiple ways. Use to create a screen or office partition. Manufactured to order.

| Material                 | PVC / Aluminium  |  |  |  |
|--------------------------|--|--|--|--|
| Profile Colour           | Grey   |  |  |  |
| Finishes                 | Baseline board with grey PVC or aluminium frame /<br>Baseline Plus board with grey PVC frame |  |  |  |
| Graphic area             | Single or double-sided   |  |  |  |
| Graphic attachment       | Felt covered corrugated board  |  |  |  |
| Graphic option           | Felt coating * or optional Rigid replacement printed panels (3mm)                            |  |  |  |
| Application              | Free-standing  |  |  |  |
|                          |  |  |  |  |
| 3 Panel Kit – Baseline A | uminium KK350A (@_ 900(w) X 1800(h) mm   |  |  |  |

| 3 Panel Kit – Baseline Aluminium | KK350A  | ര്വ 900(w) X 1800(h) mm |  |
|----------------------------------|---------|-------------------------|--|
| 3 Panel Kit - Baseline Plus      | KKP350G | ര്_ 900(w) X 1800(h) mm |  |
| 4 Panel Kit – Baseline Aluminium | KK351A  | စြ 900(w) X 1800(h) mm  |  |
| 4 Panel Kit - Baseline Plus      | KKP351G | စြ္ 900(w) X 1800(h) mm |  |
| 3 Panel Kit – Baseline           | KK350G  | စြ 900(w) X 1800(h) mm  |  |
| 4 Panel Kit – Baseline           | KK351G  | ര്_ 900(w) X 1800(h) mm |  |



Aluminium baseline (thickness 18.2 mm)

#### **Baseline Panel Kits**

Baseline Panel Kits are easy to assemble and are reconfigurable and re-positionable. Panels are hinged and available in two heights (900mm and 1000mm) and two widths (600mmm and 700mm). Position panels in multiple ways. Manufactured to order.

| Material           | PVC / Aluminium   |
|--------------------|---|
| Profile Colour     | Grey  |
| Finishes           | Finish change to Baseline board with grey PVC or aluminium frame /<br>Baseline Plus board with grey PVC frame |
| Graphic area       | Single or double-sided  |
| Graphic attachment | Hook fixing   |
| Graphic option     | Felt coating * or optional Rigid replacement printed panels (3mm)   |
| Application        | Free-standing   |



| 6 Panel Kit - Aluminium      | KK117A  | ര്_ 600(w) x 900(h) mm  | 6 Panel - Baseline       | KK317   | ര്വ_ 1000(h) × 700(w) mm |
|------------------------------|---------|-------------------------|--------------------------|---------|--------------------------|
| 6 Panel Kit - Baseline       | KK117G  | ര്വ_ 600(w) x 900(h) mm | 6 Panel - Baseline Plus  | KKP317  | ര്വ് 1000(h) × 700(w) mm |
| 6 Panel Kit - Baseline Plus  | KKP117G | ⑥_ 600(w) x 900(h) mm   | 6 Panel - Aluminium      | Call us | ര്വ് 1000(h) x 700(w) mm |
| 7 Panel Kit - Aluminium      | KK114A  | ര്വ_ 600(w) x 900(h) mm | 7 Panel - Baseline       | KK314   | ര്വ് 1000(h) x 700(w) mm |
| 7 Panel Kit - Baseline       | KK114G  | ര_ 600(w) x 900(h) mm   | 7 Panel - Baseline Plus  | KKP314  | ര്വ് 1000(h) x 700(w) mm |
| 7 Panel Kit - Baseline Plus  | KKP114G | ര്_ 600(w) x 900(h) mm  | 7 Panel - Aluminium      | Call us | ര്വ_ 1000(h) x 700(w) mm |
| 8 Panel Kit - Aluminium      | KK120A  | ര്_ 600(w) x 900(h) mm  | 8 Panel - Baseline       | KK320   | ര്വ് 1000(h) x 700(w) mm |
| 8 Panel Kit - Baseline       | KK120G  | ര്_ 600(w) x 900(h) mm  | 8 Panel - Baseline Plus  | KKP320  | ര്വ് 1000(h) x 700(w) mm |
| 8 Panel Kit - Baseline Plus  | KKP120G | ര്വ_ 600(w) x 900(h) mm | 8 Panel - Aluminium      | Call us | ര്വ_ 1000(h) × 700(w) mm |
| 10 Panel Kit - Baseline      | KK124G  | ര്വ_ 600(w) x 900(h) mm | 10 Panel - Baseline      | KK222   | ര്വ_ 1000(h) × 700(w) mm |
| 10 Panel Kit - Baseline Plus | KKP124G | ര്വ_ 600(w) × 900(h) mm | 10 Panel - Baseline Plus | KKP222  | ര്വ് 1000(h) x 700(w) mm |
|                              |         |                         |                          |         |                          |

















### **Baseline Tabletop Panel Kits**

Baseline Tabletop Panel kits are part of our classic folding panel range of practical, durable and reconfigurable displays, ideally sized for counter-tops.

| Material                        | PVC / Aluminium                                 |   |                         |  |  |
|---------------------------------|---|---|-------------------------|--|--|
| Profile Colour                  | Grey  | Grey  |                         |  |  |
| Finishes                        | Baseline board with grey PVC or aluminium frame |   |                         |  |  |
| Graphic area                    | Single or double-sided                          |   |                         |  |  |
| Graphic attachment              | Hook fixing                                     |   |                         |  |  |
| Graphic option                  | Felt coating                                    | Felt coating * or optional Rigid replacement printed panels (3mm) |                         |  |  |
| Application                     | Free-standing                                   |   |                         |  |  |
|                                 |   |   |                         |  |  |
| Junior kit - Baseline           |   | KK102G  | ര്_ 600(w) x 450(h) mm  |  |  |
| Junior kit - Baseline Aluminium |   | KK102A  | ര്വ_ 600(w) x 450(h) mm |  |  |

KK103

KK103A

| Baseline PVC |  |
|--------------|--|

(thickness 18.2 mm)

Senior kit - Baseline

Senior kit - Baseline Aluminium

Aluminium baseline

(thickness 18.2 mm)

#### **Baseline Wheeled Panel Kits**

Baseline panels provide the perfect solution for any display or back drop requirement. Baseline Wheeled Panel Kits have lockable castors and are perfect as mobile displays or backdrops. They are also a practical screening solutions for temporarily zoning a space and are manufactured to order.

| Kit 5 Baseline Plus - 1500 mm | KKPW5-156G | ര്_ 600(w) x 1500(h) mm  |
|-------------------------------|------------|--------------------------|
| Kit 5 Baseline Plus - 1800 mm | KKPW5-186G | ര്വ_ 600(w) x 1800(h) mm |
| Kit 6 Baseline Plus - 1500 mm | KKPW6-156G | ര്വ_ 600(w) x 1500(h) mm |
| Kit 6 Baseline Plus - 1800 mm | KKPW6-186G | ്ര_ 600(w) x 1800(h) mm  |
| Kit 7 Baseline Plus - 1500 mm | KKPW7-156G | ര്വ_ 600(w) x 1500(h) mm |
| Kit 7 Baseline Plus - 1800 mm | KKPW7-186G | ര്_ 600(w) x 1800(h) mm  |
|                               |            |                          |



Baseline PVC

Baseline Plus PVC Aluminium baseline (thickness 18.2 mm) (thickness 25 mm) (thickness 18.2 mm)

Baseline PVC (thickness 18.2 mm)

Baseline Plus PVC (thickness 25 mm)

Aluminium baseline

(thickness 18.2 mm)

8-panel kit with 2x headers (included)

7-panel kit with header (included)

6-panel kit with header (included)

#### 

တြ\_ 900(w) x 600(h) mm

ര്\_ 900(w) x 600(h) mm










# Non-illuminated tension walls



#### Pegasus 3m

The most compact 3m wide video wall! Ideal for large format photo calls for group meetings, political events or product launches.

| Material                                       | Aluminium                                  |  |
|--|--|--|
| Assembly                                       | Telescopic twist-lock poles                |  |
| Shape  | Straight                                   |  |
| Graphic area                                   | Single sided                               |  |
| Graphic attachment Pole pocket                 |  |  |
| Application Free-standing with feet (included) |  |  |
|  |  |  |
| Pegasus 3 m UB167-S                            | ြ_ 1845/3180(w) x 1835/2610(h) x 440(d) mm |  |




Quick and easy installation

Telescopic poles

Poles slide into graphic Quick and easy installation pole pocket







# **Display Signs**

We provide a comprehensive range of professional display signage solutions for a variety of uses. From navigational signs to advertising, information, decorative and display needs.

Display signage solutions are versatile, reusable, durable, and reliable, ensuring investment in hardware is maximised, whilst allowing the flexibility to update marketing messages frequently.

# **Display Signs**

With a wide choice of installation options such as wall, suspended or free-standing, as well as eye-catching illuminated lightbox versions, we are proud to offer one of the most comprehensive ranges on the market.

75

**Display Signs** 

# Non-illuminated free-standing signs

#### Wedge

Wedge is a weighted clamping banner base range that comes in 2 parts and is designed to hold a variety of rigid substrates for indoor or temporary outdoor usage. Available in four sizes from 300mm up to 1000mm Wedge can be used in tandem with a second pair of bases to create larger displays.

| Material           | Powder coated steel  |  |
|--------------------|--|--|
| Graphic area       | Single or double-sided   |  |
| Graphic attachment | Screwed to base  |  |
| Graphic option     | Rigid panel from 18-40mm thickness - optional extra 1500mm height max. |  |
| Application        | Free-standing  |  |
|                    |  |  |
|                    |  |  |

| Wedge 300 mm  | UB102-300-S  | ര്_ 300(w) x 85(h) x 360(d) mm   |
|---------------|--------------|----------------------------------|
| Wedge 600 mm  | UB102-600-S  | ര്വ_ 600(w) x 85(h) x 360(d) mm  |
| Wedge 800 mm  | UB102-800-S  | ര്വ_ 800(w) x 85(h) x 360(d) mm  |
| Wedge 1000 mm | UB102-1000-S | ര്വ_ 1000(w) x 85(h) x 360(d) mm |





#### Symbol

Symbol is constructed of robust weighted steel and angled for optimal viewing and reading for better engagement with prospective customers. Interchangeable graphics slide in to the recess channel and fix in place tool-free with a turnscrew.

| Material           | Steel                                   |
|--------------------|---|
|                    |   |
| Profile Colour     | Black                                   |
| Assembly           | Allen key and thumb screws              |
| Graphic attachment | Thumbscrews                             |
| Graphic option     | Rigid PVC and Dibond (3-5 mm thickness) |
| Weight             | 7.2 kg                                  |
| Wind speed         | 18 mph                                  |
|                    |   |







Content detail

Tool-free locking Quick change graphic mechanism

#### Sentry

Sentry is a handy and versatile way of imparting brand messaging or wayfinding information quickly and tool-free using the 'snap action' poster area which can be deployed either landscape or portrait. Comes in A3 and A4 sizes and the weighted base aids deployment in high foot-fall areas.

စြ\_ 245(w) x 1075(h) x 326(d) mm

| Material           | 25mm aluminium profile, clear PVC protection sheet |   |                                  |  |
|--------------------|--|---|----------------------------------|--|
| Colour             | Anodised silver finish, c                          | Anodised silver finish, chromed corners |                                  |  |
| Mounting           | Free-standing                                      |   |                                  |  |
| Graphic attachment | Snap rail  |   |                                  |  |
| Graphic option     | Suitable for substrates up to 420 microns          |   |                                  |  |
| Positioning        | Portrait or Landscape                              |   |                                  |  |
|                    |  |   |                                  |  |
| Sentry A4          | SL104  |   | ര്_ 245(w) x 1005(h) x 326(d) mm |  |

SL103



#### Shield

The Shield sign is a fantastic alternative to the traditional A-board sign. Unlike A-boards the weighted tough rubber base prevents Shield from falling over and the sleek UV printed aluminium graphic panel has a professional enduring finish even in inclement weather. Ideal double-sided display for use in all weathers, as well as in high volume traffic settings.

| Material           | Recycled rubber base, aluminium panel (1.2 mm) |
|--------------------|--|
| Graphic area       | Double-sided                                   |
| Graphic attachment | Bolts  |
| Weight             | 6.5 kg   |
| Wind resistance    | Up to 18 mph / 29 km/h                         |
|                    |  |

| Shield | UB108 | ര്വ_ 465(w) x 800(h) x 450 |
|--------|-------|----------------------------|
|--------|-------|----------------------------|



Shield base



Sentry A3

Snap frame







0(d) mm



#### A-sign Board

Pavement signage is a marketing stalwart and no high street would be without one, and the A-sign Board is one of the best. Simple to use with double-sided 'snap-action' front loading frames complete with protective PVC sheeting to shield graphics which can be changed over and over again to keep up with your brand messaging or offers.

| Material           | Aluminium, steel, PVC sheet cover |
|--------------------|-----------------------------------|
| Graphic area       | Double-sided                      |
| Graphic attachment | Snap rail                         |
| Wind speed         | 18 mph                            |
| Weight             | 10.56 kg                          |
|                    |                                   |

| A-sign Board A1 | VF204-C | 0 | 638(w) x 1060(h) x 825(d) mm |
|-----------------|---------|---|------------------------------|
|                 |         |   |                              |





#### **Formulate Shadow**

Formulate Shadow is a no mess, no fuss outdoor sign, that offers customers a viable alternative to traditional outdoor signs that typically rely on water or sand for stability.

| Material           | Steel                         |
|--------------------|-------------------------------|
| Assembly           | Push-fit button/Allen key     |
| Tube               | 32 mm                         |
| Graphic area       | Double-sided                  |
| Graphic attachment | Zipped tension fabric graphic |
| Wind resistance    | Up to 18 mph / 29 km/h        |
| Weight             | 12.7 kg                       |
|                    |                               |

FORM-ODS ြ\_ 800(w) x 1174(h) x 420(d) mm Formulate Shadow







Integrated castors

Base with handle

#### Street Sign

A durable outdoor double-sided sign frame with a standing height of 1135mm when deployed. There is a recessed area on each side of the frame that will accommodate a poster size graphic and is covered by a PET poster protection screen to protect the poster face. The unit is equipped with hinges attached to both sides of the frame to ensure stability once deployed. The sign frame folds flat to save space when storing and has an integrated wheel system on the base making it easy to reposition without the need for heavy lifting.

| Material           | Aluminium, steel, PVC sheet cover |
|--------------------|-----------------------------------|
| Graphic area       | Double-sided                      |
| Graphic attachment | Frame lock                        |
| Wind speed         | 18 mph                            |
| Weight             | 16.4 kg                           |
|                    |                                   |

| Street sign | SS-24X36B | ര്വ് 690(w) x 1135(h) x 735(d) mm |
|-------------|-----------|-----------------------------------|
|             |           |                                   |





Open frame









#### Monsoon

Monsoon is your perfect all-weather sturdy single or double-sided 'A' frame banner with bungeed PVC eyelet banner graphics - perfect for displaying brand messaging or wayfinding information.

| Aluminium tubes (25 mm), plastic connectors |
|---|
| Single or double-sided                      |
| Eyelets and looped bungee cords             |
| Up to 24 mph / 39 km/h                      |
|   |

| Monsoon 2500 mm           | UB707-C    | ල_ 2500(w) x 1000(h) x 640(d) mm |
|---------------------------|------------|----------------------------------|
| Monsoon 3000 mm           | UB711-C    | ල_ 3000(w) x 1250(h) x 795(d) mm |
| Bungee cords (pack of 12) | FX804-BX12 |                                  |









# Eyeletted graphic attaches to frames with bungee cord

Metal hinge

Interlocking sections

#### Stowaway

Make your brand messaging or wayfinding information literally pop with the Stowaway  $% \left( {{{\rm{Stowaway}}}} \right)$ pop-out display banner that deploys in seconds for use either indoors or secured outside with pegs supplied.

| Material           | Sprung steel pole       |
|--------------------|-------------------------|
| Graphic area       | Double-sided            |
| Graphic attachment | Elasticated pole pocket |
| Ground fixing      | 4 pegs (included)       |
| Transport          | Carry bag included      |
| Wind Speed         | 18 mph (when pegged)    |
|                    |                         |

| Stowaway 1400 mm | UB736-03A | ල_ 1420(w) x 700(h) x 400/480(d) mm   |  |
|------------------|-----------|---------------------------------------|--|
| Stowaway 2000 mm | UB736-01A | ര്_ 2020(w) × 1000(h) × 400/480(d) mm |  |





The Bora Inflatable Column kit is a fantastic eye-catching visual advertisement and brand messaging tool that stands at almost 2.4 metres tall. Once deployed it can be left without the need for re-inflation leaving organisers free to attend to customers and visitors at events. Complete by choosing a vibrant optional custom graphic to display brand messaging.

| Material           | PVC column, plastic base           |
|--------------------|------------------------------------|
| Graphic area       | 360°                               |
| Graphic attachment | Hook and loop                      |
| Ground fixing      | 4 pegs (included)                  |
| Wind resistance    | Up to 24 mph / 39 km/h (if pegged) |

AB-INFLCOL

| Bora Column Kit    | INFLCOL-220 | ര_ 2390(h) x 460(Ø) mm |
|--------------------|-------------|------------------------|
| Ancillaries :      |             |                        |
| Electric pump 600W | INFTA-PE4EU |                        |



Bag (column)



600W Electric pump (optional)

#### Gala Table

Portable and strong folding trestle table. Cover with an optional printed table cloth for a professional look, choose from traditional or fitted format.

| Material     | Polypror | oylene, metal |  |
|--------------|----------|---------------|--|
| Assembly     | 51 1     | mechanism     |  |
| Graphic area | 360°     |               |  |
| Gala 1.8m    |          | FT-6A         | ල Open - 1805(w) x 730(h) x 740<br>ල Closed - 900(w) x 80(h) x 740 |







ease of transportation


Central locking system Gala table folds in half for ease of transportation







Internal hook and loop straps





Two tablecloth finishes available

# Non-illuminated wall mounted signs

jõ\_ 625(w) x 872(h) x 13(d) mm

စြို 872(w) x 1220(h) x 13(d) mm

#### Trappa Frame

The Trappa 'snap-action' Frame delivers a professional look and is quick to fix to a wall and easy to update. Posters can be changed, simply by opening the frame edges.

| Material   | 25mm aluminium profile, clear PVC protection sheet |                               |  |
|--|--|-------------------------------|--|
| Colour   | Anodised silver finish                             |                               |  |
| Mounting   | Wall*  |                               |  |
| Graphic attachment                               | Snap rail  |                               |  |
| Graphic option Suitable for substrates up to 420 |  | 120 microns                   |  |
| Positioning                                      | Portrait or Landscape                              |                               |  |
|  |  |                               |  |
|  |  |                               |  |
| Trappa A4  | AT401-C  | ြ_ 241(w) x 328(h) x 13(d) mm |  |
| Тгарра АЗ  | AT402-C  | ල_ 328(w) x 451(h) x 13(d) mm |  |
|  |  |                               |  |

AT403-C

AT404-C

AT405-C





Trappa A2

Trappa A1 Trappa A0

Trappa snap frame

★ : Wall mounting screws not included

#### Vector Quick-fix Wall Kit

The Vector Quick Fix Wall Kit is a sleek 20mm low profile aluminium extrusion frame for optional SEG dye-sublimated fabric display graphics that simply push-fits into the frame's channel in a matter of seconds. Frames affix to walls in a fuss-free way by selfdrilling.

|                       | Material Anodised aluminium |               |              |                                 |  |
|-----------------------|-----------------------------|---------------|--------------|---------------------------------|--|
|                       | Profile width               | 20mm          |              |                                 |  |
|                       | Profile Colour              | Silver        |              |                                 |  |
|                       | Assembly                    | Angleo        | d connectors |                                 |  |
|                       | Shape                       | Bevelle       | ed           |                                 |  |
|                       | Mounting                    | Wall m        | nounted*     |                                 |  |
|                       | Graphic area                | Single        | Single sided |                                 |  |
| Graphic attachment SE |                             | SEG 3mm       |              |                                 |  |
| Availability          |                             | Made to order |              |                                 |  |
|                       | [                           |               |              |                                 |  |
|                       | Vector Quick Fix A3         |               | VWQF-A3      | ු_ 420(w) x 297(h) x 20(d) mm   |  |
|                       | Vector Quick Fix A2         |               | VWQF-A2      | ര്വ_ 594(w) x 420(h) x 20(d) mm |  |
|                       | Vector Quick Fix A1         |               | VWQF-A1      | ු_ 841(w) x 594(h) x 20(d) mm   |  |
|                       | Vector Quick Fix A0         |               | VWQF-A0      | (o) 1189(w) x 841(h) x 20(d) mm |  |
|                       | Vector Quick TIX A0         |               | 11101710     |                                 |  |





Silicone edged

Corners are assembled using brackets

(SEG) graphic

 ${\boldsymbol{\star}}$  : Wall mounting screws not included

VECTOR QUICK FIX

Can be mounted directly on the

wall without a bracket



Vector Slim Circular is a sleek circular 20mm aluminium profile wall frame which is completed with an optional interchangeable custom printed SEG tension fit fabric graphic. Frames are quick and easy to attach to walls by self-drilling, and SEG graphics attach in seconds by push-fitment into the frame channel.

| Material           | Aluminium                        |
|--------------------|----------------------------------|
| Profile width      | 20 mm                            |
| Profile Colour     | Silver                           |
| Assembly           | Screw-in connector               |
| Shape              | Bevelled                         |
| Mounting           | Wall mounted                     |
| Graphic area       | Single-sided                     |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| Availability       | Made to order                    |
|                    |                                  |

| Vector Slim Ø 400 mm  | VWFC-400  | ര്_ 400(Ø) mm  |
|-----------------------|-----------|----------------|
| Vector Slim Ø 700 mm  | VWFC-700  | ര്_ 700(Ø) mm  |
| Vector Slim Ø 1000 mm | VWFC-1000 | ര്_ 1000(Ø) mm |





20mm slim aluminium profile Silicone edged (SEG) graphic

Wall mount included







# Illuminated wall mounted signs

#### Vector 75mm LED Kit

#### Large format wall mounted edge lit lightbox, creating even light across a wide area to illuminate your chosen graphic helping you stand out from the crowd.

| Material           | Aluminium                        |
|--------------------|----------------------------------|
| Profile width      | 75 mm                            |
| Profile Colour     | Grey                             |
| Assembly           | Screw-in bracket                 |
| Mounting           | Wall mounted                     |
| Graphic area       | Single-sided                     |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG) |
| LED System         | Edge lit                         |
|                    |                                  |
|                    |                                  |

| Vector LED 75 – 2000 x 1000 mm | VLB75-2X1 | ര്വ_ 1000(w) x 2000(h) x 75(d) mm |
|--------------------------------|-----------|-----------------------------------|
| Vector LED 75 – 2000 x 2000 mm | VLB75-2X3 | ര്വ_ 2000(w) × 2000(h) × 75(d) mm |
| Vector LED 75 - 2000 x 3000 mm | VLB75-2X2 | ര്_ 2000(w) x 3000(h) x 75(d) mm  |





Cable system



LED strip lighting



Numbered system for easy assembly

#### Twista Lite

Twista Lite delivers a smart, modern poster display system that is quick and simple to deploy via the 'snap-action' rail. Versatile, as well as functional, it can be displayed single-sided on walls or double-sided when suspended from ceilings.

| Material           | Aluminium (rail), plastic (end caps, hooks) |
|--------------------|---|
| Colour             | Grey  |
| Mounting           | Wall / Ceiling                              |
| Graphic area       | Single or double-sided                      |
| Graphic attachment | Snap rail                                   |

|                     |            | 1                              |
|---------------------|------------|--------------------------------|
| 600 mm Kit          | TWLHR-600  | ര്_ 600(w) x 31(h) x 12(d) mm  |
| 800 mm Kit          | TWLHR-800  | ര്വ് 800(w) x 31(h) x 12(d) mm |
| 850 mm Kit          | TWLHR-850  | ര_ 850(w) x 31(h) x 12(d) mm   |
| 1000 mm Kit         | TWLHR-1000 | 1000(w) x 31(h) x 12(d) mm     |
| 3000 mm Kit         | TWLHR-3000 | 3000(w) × 31(h) × 12(d) mm     |
| 3100 mm (rail only) | TWLHR-3100 | 3100(w) x 31(h) x 12(d) mm     |
|                     |            | 1                              |







Snap rail clamps media securely

Top rail with hanging

Snap rail

84

# Non-illuminated suspended signs




# Strata

Give perspective to your indoor display!

Strata is a versatile display system that can be fixed directly to the wall or on a cable, for an adjustable suspended display.

Ideal for a structured mechanism to display your materials including acrylic, plastic and wood. Often used for displaying properties for sale in estate agencies, case studies on an exhibition stand, or key messages on a backwall.





# **Display Banners**

# Portable display banners are ideal for a temporary but stable communications tool.

Our unique range of Display Banners are highly portable, quick to deploy and suitable for a broad range of applications. Choose from the economy range through to premium options for use indoors or select specifically designed solutions for outdoor applications.

Alternatively the fabric systems are a premium display solution, featuring aluminium tubing, with double-sided high-quality dye sublimated fabric graphics. Easy to deploy with tool-free assembly.

# **Display Banners**

Affordable by nature, the roller banner range delivers a convenient, tool-free solution, with retractable graphics that deploy in seconds. Choose from a range of indoor or outdoor designs that best suits your application, with single or double-sided graphic options.

Tension banners are constructed of lightweight materials and offer the best value for money.

# Lightboxes

#### Illumigo<sup>™</sup> One illumigo. 🦉 Illumigo ${}^{\rm M}$ One is a vibrant portable single-sided lightbox with the option to have a rear facing textile graphic unlit. Standing 2000mm high and 850mm wide, the slim 60mm profile has a white powder coated finish and benefits from tool-free plug and play assembly due to an easy to follow numeric system, rollable LED panel and pre-assembled twist-out feet. Material Aluminium Profile width 60 mm Profile Colour White Tool-free ILLUMIGO ONE Assembly Single-sided Graphic area Graphic attachment Silicone Edged Gasket 3 mm (SEG) Application Self-supporting with pivoting feet fixed to the structure Protective box with carry handle Transport ILLGO-ONE စြ္ 850(w) x 2010(h) x 390(d) mm Illumigo™ One Tool-free assembly Rollable LED panel Single-sided frame Optional Illumigo<sup>™</sup> bag 850 mm → $\leftarrow$

#### Illumigo™

Illumigo^ ${\ensuremath{^{\rm M}}}$  is an innovative portable LED lightbox that comes in a protective compartmented box with handle for ease of transportation. Deploys tool-free in minutes thanks to pre-assembled LED lighting and push-fit optional dye-sublimated graphics.

| Material           | Aluminium   |
|--------------------|---|
| Profile width      | 100 mm  |
| Profile Colour     | White   |
| Assembly           | Tool-free   |
| Graphic area       | Double-sided  |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG)                          |
| Application        | Self-supporting with pivoting feet fixed to the structure |
| Transport          | Protective box with carry handle                          |
|                    |   |
|                    |   |

| IllumiGo™ - 2x1 | ILLGO-2X1 | ര്_ 1000(w) x 2000(h) x 400(d) mm |
|-----------------|-----------|-----------------------------------|
| Illumigo™ bag   | ILLGO-BAG | ල_ 460(w) × 1160(h) × 400(d) mm   |

Numbered system for

easy assembly



Supplied with twin

twist-out feet





Pre-installed LED lights



Branded protective



illumi**go. 🖞** 

Optional Illumigo<sup>™</sup> bag compartmented box

#### Illumigo<sup>™</sup> Retail

Illumigo<sup>™</sup> Retail is an innovative portable LED lightbox that is specifically designed for retail environments because of its size and stability. The 1600 x 600mm double-sided illuminated display comes in a protective compartmented box with handle for ease of transportation. Deploys tool-free in minutes thanks to pre-assembled LED lighting and push-fit optional dye-sublimated graphics.

| Material           | Aluminium   |
|--------------------|---|
| Profile width      | 100 mm  |
| Profile Colour     | White   |
| Assembly           | Tool-free   |
| Graphic area       | Double-sided  |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG)                      |
| Application        | Self-supporting with flat base fixed to the structure |
| Transport          | Protective box with carry handle                      |
|                    |   |

ILLGO-RETAIL

Illumigo™ Retail





Pre-installed LED lights

Branded protective compartmented box

### Illumigo<sup>™</sup> 2x2

Illumigo<sup>™</sup> is a complete portable 2x2m double-sided aluminium lightbox display system. Simple to deploy with tool-free assembly. Just remove from the box, twist out the feet from the base panel and use the matching numerical system to connect the remaining extrusions remembering to insert the horizontal bar. SEG graphics fit into the frame channel and the power cable inserts under the base panel. Plug and play in less than 10 minutes!

| Material           | Aluminium   |
|--------------------|---|
| Profile width      | 100 mm  |
| Profile Colour     | White   |
| Assembly           | Tool-free   |
| Graphic area       | Double-sided  |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG)                          |
| Application        | Self-supporting with pivoting feet fixed to the structure |
| ransport           | Protective box with carry handle                          |
|                    |   |
|                    |   |

Illumigo™ 2x2 ILLGO-2X2 စြို 2000(w) x 2000(h) x 390(d) mm





Metal straight connector

Numbered system for easy assembly









Optional Illumigo<sup>™</sup> bag









# **Tension textile systems**

#### Vector 125mm LED Kit

Illuminate to communicate! This robust free-standing LED frame perfectly suits interior displays that need to be regularly updated to keep up with changing trends.

| Material           | Aluminium   |
|--------------------|---|
| Profile width      | 125mm   |
| Profile Colour     | Silver (White / black optional)   |
| Assembly           | Screw-in bracket, Allen key   |
| Graphic area       | Single-sided (one side printed with block-out rear) double-sided (both sides printed) |
| Graphic attachment | Silicone Edged Gasket 3 mm (SEG)  |
| Application        | Free-standing with flat retail feet (included)  |
| LED System         | Edge-lit  |
|                    |   |
|                    |   |

| Kit 2x1 LED   | VLB125-2X1   | ര്_ 1000(w) x 2005(h) x 550(d) mm  |
|---------------|--------------|------------------------------------|
| Kit 2x2 LED   | VLB125-2X2   | ര്വ_ 2000(w) x 2005(h) x 550(d) mm |
| Kit 2x3 LED   | VLB125-2X3   | ര്_ 3000(w) x 2005(h) x 550(d) mm  |
| Kit 2,5x3 LED | VLB125-25X30 | ര്ര്ച 3000(w) x 2505(h)x 550(d) mm |

Available in standard and custom sizes









Mitred sections assemble with screw-in connectors

Cable system

LED strip lighting





Bungee tubes

Numbered system on tubes for easy assembly

#### **Formulate Monolith**

Monolith; the gentle giant, with weighted base for high traffic areas and practical, changeable fabric graphics for multiple brand messaging. This tall double-sided display banner comes in a variety of widths, from 600mm up to 1500mm, and is trusted for stability and easy deployment.

| Material           | Aluminium tubes, steel base              |
|--------------------|--|
| Tube               | Ø 30 mm                                  |
| Assembly           | Push-fit button, Allen key               |
| Graphic area       | Double sided                             |
| Graphic attachment | Zipped tension fabric graphic            |
| Application        | Free-standing with metal base (included) |
| Transport          | Padded with compartments                 |
|                    |  |

| 600 mm  | FORM-MON-600  | ര്_ 600(w) × 2380(h) × 300( |
|---------|---------------|-----------------------------|
| 900 mm  | FORM-MON-900  | ര്_ 900(w) × 2380(h) × 300( |
| 1200 mm | FORM-MON-1200 | စြ_ 1200(w) x 2380(h) x 300 |
| 1500 mm | FORM-MON-1500 | ලි_ 1500(w) x 2380(h) x 300 |
|         |               |                             |





Hinged metal base (from sizes 900mm wide upward)

#### **Formulate Monolith Eco**

The Formulate Monolith Eco is an ideal alternative to roller banners as it provides a cost effective option for the budget conscious whilst delivering an uninterrupted double-sided stretch fabric display. It comes with powder-coated steel feet for increased stability that connect to the aluminium tubular frame. The tension graphic hugs the frame and is zipped at the base to hold it in place.

| Material           | Aluminium tubes, powder coated steel feet |
|--------------------|---|
| Tube               | 25mm                                      |
| Assembly           | Push-fit, tool-free                       |
| Graphic area       | Single or double-sided                    |
| Graphic attachment | Tension fabric graphic                    |
| Application        | Free-standing with feet (included)        |
| Transport          | Simple carry bag                          |

|         |                   | 1                             |
|---------|-------------------|-------------------------------|
| 800 mm  | FORM-MON-ECO-800  | ര്_ 800(w) x 2009(h) x 378(d) |
| 1000 mm | FORM-MON-ECO-1000 | ര്_ 1000(w) x 2009(h) x 378(d |





92

5 🗗 (TEX



0(d) mm

(d) mm

00(d) mm

00(d) mm





# Roller banners (economy)


| from SEG stretch fab | satile display which accepts a variety of changeable media substrates;<br>ric to rollable PVC. Each side of the frame has a channel for SEG<br>you can also use PVC with magnetic tape that magnetise to the inner |      |
|----------------------|--|------|
| Material             | Aluminium  |      |
| Profile width        | 35 mm  |      |
| Profile Colour       | Silver / Black   |      |
| Assembly             | Tool-free  |      |
| Graphic area         | Single or double-sided   |      |
| Graphic attachment   | For textile graphics: 3 mm SEG<br>For PVC graphics: magnetic tape (included)   | VECT |
| Application          | Free-standing solid foot   |      |
| Vector Media         | VF-MEDIA-16X06 ()_ 600(w) x 1610(h) x 280(d) mm  | 6.1  |





Fabric graphic with silicone edging (SEG)

PVC graphic with magnetic tape



#### Wasp

The Wasp roller banner is an entry level product, ideal for short-term events or displays, where cost is a primary consideration. Despite its affordable price, Wasp is made to exacting quality standards and carries a full manufacturer's warranty, so you can be confident it will perform as expected.

| Material     | Aluminium, plastic end caps on rail and feet tips |
|--------------|---|
| Rail         | Snap rail   |
| Pole         | Aluminium three-part bungee pole                  |
| Leader       | Self-adhesive                                     |
| Graphic area | Single-sided                                      |
| Feet         | Twin, twist-out feet                              |
| Transport    | Simple nylon bag                                  |
|              |   |

| 600 mm  | UB204-600-05  | ര്വ_ 615(w) x 1710/2080(h) x 320(d) ന |
|---------|---------------|---------------------------------------|
| 800 mm  | UB204-800-03  | ര്വ_ 815(w) x 2080(h) x 320(d) mm     |
| 850 mm  | UB204-850-03  | ര്വ_ 865(w) x 2080(h) x 320(d) mm     |
| 1000 mm | UB204-1000-03 | ര്വ_ 1015(w) x 2080(h) x 320(d) mm    |
|         |               |                                       |



#### Mantis

The Mantis roller banner is suitable for budget conscious users, who need a cost-effective roller banner with a little more durability for busier areas. With a weighted base, the unit provides enhanced stability over the unweighted banners in the range. Despite its economical price, Mantis is made to exacting quality standards and carries a full manufacturer's warranty, so you can be confident it will perform as expected.

| Material     | Aluminium, plastic end caps on rail |
|--------------|-------------------------------------|
| Rail         | Snap                                |
| Pole         | Bungee                              |
| Leader       | Self-adhesive                       |
| Graphic area | Single-sided                        |
| Feet         | Twin, twist-out feet                |
| Transport    | Padded nylon bag with side opening  |
|              |                                     |

| 800 mm  | UB216-800-01  | ര്_ 818(w) x 2085(h) x 280(d) r |
|---------|---------------|---------------------------------|
| 850 mm  | UB216-850-01  | ര്_ 868(w) x 2085(h) x 280(d) r |
| 1000 mm | UB216-1000-01 | ര്_ 1018(w) x 2085(h) x 280(d)  |





Pole top

Rigidising bracket in base for increased strength and longevity of banner









) mm ) mm

d) mm











### Mosquito

The Mosquito roller banner is an industry standard workhorse. This roller banner offers a blend of affordability, durability and robustness that is often copied, but never equalled. It is constructed from more robust componentry, allowing it to perform reliably in high traffic applications, or where there are likely to be repeated deployments of your roller banner.

| Material     | Aluminium and plastic                         |
|--------------|---|
| Rail         | Snap rail                                     |
| Pole         | Aluminium three-part bungee pole              |
| Leader       | Self-adhesive                                 |
| Graphic area | Single-sided                                  |
| Feet         | Twin, twist-out feet                          |
| Transport    | Nylon bag with inner protection (double skin) |

| 800 mm  | UB197      | 860(w) × 2105(h) × 285(d) mm       |
|---------|------------|------------------------------------|
| 850 mm  | UB196      | ු_ 910(w) x 2105(h) x 285(d) mm    |
| 1000 mm | UB197-1000 | ര്വ_ 1060(w) x 2105(h) x 285(d) mm |
| 1200 mm | UB197-1200 | ര്വ_ 1260(w) x 2105(h) x 285(d) mm |
| 1500 mm | UB197-1500 | ര്]_ 1560(w) x 2105(h) x 285(d) mm |
| 2000 mm | UB197-2000 | ු_ 2060(w) x 2105(h) x 285(d) mm   |











Nylon bag with padded inner protection

Three-part bungee pole



Market favourite





### Grasshopper

The Grasshopper roller banner is an industry standard workhorse. A popular, classic-style lightweight economy banner with twin twist-out feet for stability. This roller banner offers a blend of affordability, durability and robustness.

| Aluminium and plastic                         |
|---|
| Adhesive Rail                                 |
| Aluminium three-part bungee pole              |
| Self-adhesive                                 |
| Single-sided                                  |
| Twin, twist-out feet                          |
| Nylon bag with inner protection (double skin) |
|   |

| 800 mm | UB191 | ര_ 860(w) × 2105(h) × 285(d) mm  |
|--------|-------|----------------------------------|
| 850 mm | UB193 | ര്_ 910(w) x 2105(h) x 285(d) mm |





Self-adhesive rail

Three-part bungee pole Rigidising bracket in base for increased strength and longevity of banner

ြ\_ 1040(w) x 2105(h) x 395(d) mm

#### **Dragonfly 2**

Economical and cost-effective double-sided roller banner with pole storage in base. Comes with padded nylon bag for ease of transportation.

| Material     | Aluminium, plastic end caps on rail |                             |
|--------------|-------------------------------------|-----------------------------|
| Rail         | Snap rail with end caps             |                             |
| Pole         | Aluminium three-part bungee pole    |                             |
| Leader       | Self-adhesive                       |                             |
| Graphic area | Double-sided                        |                             |
| Feet         | Twin, twist-out feet                |                             |
| Transport    | Padded nylon bag                    |                             |
|              |                                     |                             |
| 850 mm       | UB199-850-01                        | 890(w) x 2105(h) x 395(d) r |

UB199-1000-01



1000 mm



Three-part bungee pole

Nylon padded carry bag included

Rigidising bracket in base for increased strength and longevity of banner
















# Roller banners (standard)

| Orient   | +   |   | S S PVC   | Thunder                                      | 2   |  |
|--|---|---|---|--|---|--|
| cost-effective. W<br>banner design e                     | Vith its front-loading graphic tha<br>ensures your brand message ha | panner that delivers stability whilst still being<br>at pulls up from the front of the base, the<br>as maximum visibility from floor to top rail.<br>nty, giving you peace of mind that it will |   | and durable yet very<br>display your message | easy to assemble and tra<br>e on both sides for maxim |  |
| perform every t  |   | 576 677 p   |   | Material                                     | Plastic, aluminium and st                             | teel   |
| Material   | Aluminium and plastic   |   |   | Pole<br>Graphic area                         | Three part bungee pole<br>Double-sided                |  |
| Rail   | Patented Dual action self-adhe                                      | esive and snap rail   | ORIENT +  | Graphic attachment                           | Self-adhesive leader / top                            | o snap rail                                  |
| Pole   | Hybrid adjustable height teles                                      |   |   | Ground fixing                                | 4 pegs (included)                                     |  |
| Leader<br>Graphic area                                   | Self-adhesive or Hook and Loo<br>Single-sided                       | p<br>p  |   | Wind resistance                              | Up to 7 mph / 11 km/h (u                              | unpegged) up to 24 mph / 39 km/h (if pegged) |
| Feet   | Adjustable  |   |   | Transport                                    | Padded bag  |  |
| Transport  |   | pening and foam reinforced ends   |   | Thursday 2                                   | UB185-850-01  |  |
| 800 mm   | WH353-800-003   | ര്വ 840(w) x 1595/2220(h) x 185(d) mm   |   | Thunder 2                                    | 00100-001   | ල_ 884(w) x 2100(h) x 740(d) mm              |
| 850 mm   | WH353-850-003   | ര്വ് 890(w) × 1595/2220(h) × 185(d) mm  |   |  |   |  |
| 1000 mm  | WH353-1000-003  | ര്വ_ 1040(w) x 1595/2220(h) x 185(d) mm   | and the second se |  |   |  |
| 1200 mm  | WH353-1200-003  | ര്വ് 1240(w) x 1595/2220(h) x 185(d) mm   |   |  |   | Use  |
| 1500 mm  | WH353-1500-003  | 1540(w) x 1595/2220(h) x 185(d) mm  |   |  | E -   |  |
| 2000 mm  | WH353-2000-003  | ര്വ_ 2040(w) x 1595/2220(h) x 185(d) mm   |   | CAR  | C   |  |
| Hybrid telesco   | opic pole Pole top  | Banner components   |   | Three-part bungee                            | pole Grour  | nd pegs                                      |
| Delta L  | ite   |   | 5 CPVC  |  |   |  |
| footprint alumin<br>chrome finished<br>excellent value f | nium base. This elegant banner<br>I end covers. With adjustable lev | l has great stability thanks to the wide<br>has great design details including the<br>velling feet and telescopic pole, Delta Lite is<br>anufacturer's quality warranty, giving you             |   |  |   |  |
| Material   | Aluminium, chrome base end o  | covers  | DELTA LITE  |  |   |  |
| Rail   | Snap rail with end caps   |   |   |  |   |  |
| Pole   | Hybrid adjustable height telesc                                     | copic pole  |   |  |   |  |
| Leader<br>Graphic area                                   | Self-adhesive<br>Single-sided                                       |   |   |  |   |  |
| Feet   | Adjustable  |   |   |  |   |  |
|  | Padded nylon bag  |   |   |  |   |  |
| Transport  |   |   |   |  |   |  |
| Transport  |   |   |   |  |   |  |





# **Roller banners (premium)**

#### Merlin

Merlin is a sleek and elegant premium roller banner with an interchangeable graphic cassette which extends the life of the banner as graphics are quick and easy to change. The graphic cartridge is housed independently from the main base unit so it is simple to remove and replace with new graphics and old graphics can also be reused, just by swapping the cassette. A great value for money solution if the message or marketing campaign changes regularly. The Merlin roller banner comes with our manufacturer's quality warranty, giving you peace of mind that it will perform every time.

| Material     | Aluminium and plastic                                   |
|--------------|---|
| Rail         | Snap rail   |
| Pole         | Hybrid adjustable height telescopic pole                |
| Leader       | Cassette banner with adhesive leader                    |
| Graphic area | Single-sided  |
| Feet         | Adjustable  |
| Transport    | Padded nylon with side opening and foam reinforced ends |

| 850 m | nm | UB160-850-01 | တြ 915(w) x 1655/2315(h) x 195(d) mm |
|-------|----|--------------|--------------------------------------|
|-------|----|--------------|--------------------------------------|



Interchangeable graphic cassette - swap messaging in seconds



#### Barracuda

The original best-selling premium Barracuda roller banner delivers a reliable, enduring display which is backed up by a life-time manufacturer's hardware warranty. The stylish anodised aluminium base has an elegant pinstripe detail on the front casing. Barracuda is height adjustable and has a large internal graphic housing and tensioner.

| Material     | Aluminium and plastic                                   |              |                                      |
|--------------|---|--------------|--------------------------------------|
| Rail         | Patented snap rail                                      |              |                                      |
| Pole         | Hybrid adjustable height telescopic pole                |              |                                      |
| Leader       | Self-adhesive slider                                    |              |                                      |
| Graphic area | Single-sided  |              |                                      |
| Feet         | Adjustable  |              |                                      |
| Transport    | Padded nylon with side opening and foam reinforced ends |              |                                      |
|              |   |              |                                      |
| 800 mm       |   | WH321C-800A3 | ල_ 860(w) x 1605/2210(h) x 200(d) mm |

| 1000 mm | WH321C-1000A3 | ര്_ 1060(w) x 1605/2210(h) x 200(d) mm  |
|---------|---------------|---|
| 1200 mm | WH321C-1200A3 | ු 1260(w) x 1605/2210(h) x 200(d) mm    |
| 1500 mm | WH321C-1500A3 | ര്_ 1560(w) x 1605/2210(h) x 200(d) mm  |
| 2000 mm | WH321C-2000A3 | ු 2060(w) x 1605/2210(h) x 200(d) mm    |
| 2400 mm | WH321C-2400A3 | ര്ര_ 2460(w) x 1605/2210(h) x 200(d) mm |



Hybrid telescopic pole













Ratchet graphic tensioner









## **Roller banners (desktop)**


| B | ree | ze |
|---|-----|----|
|---|-----|----|

The Breeze mini roller banner is ideal for use on a tabletop, counter, or reception desk. Ultra-light and simple to assemble, it delivers a professional, smart display that is elegant and stylish.

| Material     | Aluminium, plastic end caps on rail |
|--------------|-------------------------------------|
| Rail         | Self-adhesive                       |
| Pole         | Aluminium                           |
| Leader       | Self-adhesive                       |
| Graphic area | Single-sided                        |
| Transport    | Padded nylon bag                    |

| Breeze A3 | WH361 | ര്വ 238(w) x 335(h) x 80(d) mm |
|-----------|-------|--------------------------------|
| Breeze A4 | WH360 | ്ര_ 332(w) x 440(h) x 82(d) mm |





#### **Liberty Mini**

The 430mm wide Liberty Mini can be used as a full height (1600mm) roller banner or be located on a counter or tabletop and be deployed at 450mm. This is possible thanks to the optional extension pole. This makes the Liberty Mini a very versatile narrow-gauge solution.

| Material     | Aluminium, plastic end caps on rail                                  |
|--------------|--|
|              |  |
| Rail         | Snap rail  |
| Pole         | 2 Part-pole, height 400 - 800mm Four Part pole, height 1200 - 1600mm |
| Leader       | Self-adhesive  |
| Graphic area | Single-sided   |
| Transport    | Padded nylon bag   |
|              |  |
|              |  |

| Liberty Mini 400 mm | UB122-400 | ത്ര 430(w) x 450/850(h) x 125(d) mm     |
|---------------------|-----------|---|
| Extension pole      | EP-MINI   | ര്ര_ 4 Part pole, height 1200 - 1600 mm |





Non-padded carry bag

100

5 - PVC

MERLIN



# **Tension banners (X Banner)**

### **Beijing Lite**

| Basic X-banner. Ultra-light frame. Very easy to assemble and compact once packed down. |                             |  |
|--|-----------------------------|--|
| Material   | Fibreglass                  |  |
| Graphic area   | Single-sided                |  |
| Graphic attachment   | Eyelets                     |  |
| Application  | Free-standing               |  |
| Transport  | Budget drawstring carry bag |  |
|  |                             |  |
|  |                             |  |







Graphic attaches with eyelets



#### Blizzard

Blizzard is a great all-rounder as it is ideal for all kinds of corporate, sporting and outdoor events. Its simple design makes it very easy to assemble on-site, and because it's adjustable, it can accommodate different graphic sizes to suit your application.

| Material           | Plastic and metal              |
|--------------------|--------------------------------|
| Pole               | Adjustable in width and height |
| Graphic area       | Single-sided                   |
| Graphic attachment | Eyelets                        |
| Base capacity      | 12 litres                      |
| Wind resistance    | Up to 18 mph / 29 km/h         |
| Transport          | Non-padded bag                 |
|                    |                                |

Blizzard UB701 @\_ 600/800(w) x 1600/2100(h) x 540(d) mm











# **Flag Banners**

Draw attention to branding, products, services, or business premises with custom printed flags. Instantly noticeable due to their height, shape, and movement, our all-fibre flag poles are durable and flexible, easy to assemble and quick to deploy, making them an extremely effective means of advertising.

Choose from a range of free-standing, post / wall mounted, mobile and specialist hardware that can be used in a variety of applications such as car forecourts, festivals, and beach flags.

Alternatively, deploy taller or multiple flags to increase visibility and attention to branding. Our all-fibre flag poles are reusable with interchangeable graphics for greater return on investment. To protect this investment, it is recommended that flags be kept securely in place by selecting an appropriate base suitable for the desired application and location from the specifically designed range.

# **Flag Banners**

Available as single or double-sided options and printed using hardy, UV resistant media, flag graphics can be utilised indoors or outside with standard or custom flag shapes.

Flag Banners

# **Free-standing flags**

### Zoom+ Quill / Feather Flag

Popular and versatile, lightweight flexible flag system, with black finish all fibre poles. Choose Feather or Quill shaped graphics. Ideal for advertising and used for all types of indoor and outdoor displays. Optional custom printed flag graphics are available in a range of sizes from small to extra-large and, with a choice of single or double-sided options (small, medium, and large). The eye-catching shape creates movement in the wind and is a great for attracting attention.

| Material           | GRP fibre glass pole   |
|--------------------|--|
| Graphic area       | Single-sided or double-sided (double sided only available up to large) |
| Graphic attachment | Pole pocket  |
| Wind resistance    | Up to 18 mph / 29 km/h   |

| Zoom + Small       | UF-ZM-SM   | ര്_ 550/800(w) x 2100/2600(h) mm   |
|--------------------|------------|------------------------------------|
| Zoom + Medium      | UF-ZM-ME   | ര്വ_ 600/900(w) x 2800/3200(h) mm  |
| Zoom + Large       | UF-ZM-LA   | ര്വ_ 800/1100(w) x 3500/4000(h) mm |
| Zoom + Extra large | UF-ZM-EXLA | ര്വ_ 850/1200(w) x 4600/4900(h) mm |

#### Ancillaries :

| Bag<br>(optional) | AB-ZML-01 |  |
|-------------------|-----------|--|
|-------------------|-----------|--|

Zoom+ Quill Flag



TEX 1





Graphic attaches on to hook

Zoom+ Edge Flag

Popular and versatile, lightweight rectangular shaped flag system with black finish all-fibre poles. Ideal for all types of indoor and outdoor displays. Quick and easy to deploy and can withstand winds of approximately 13 -18m/h (21-29km/h). Optional custom printed flag graphic available in single and double-sided options (small, medium, and large), and all flag graphics have a printed pole pocket. The flag moves naturally in breezy/windy conditions and is ideal for attracting attention on car forecourts, at exhibitions and events, or outside a building or premises.

| Material     |                         | Aluminium and GRP   |             |                                 |  |  |  |  |  |  |  |
|--------------|-------------------------|---|-------------|---------------------------------|--|--|--|--|--|--|--|
| Graphic area |                         | Single-sided or double-sided (double sided only available up to |             |                                 |  |  |  |  |  |  |  |
|              | Graphic attachment      | Pole pocket   |             |                                 |  |  |  |  |  |  |  |
|              | Wind resistance         | Up to 18 mph / 29 km/h  |             |                                 |  |  |  |  |  |  |  |
|              |                         |   |             |                                 |  |  |  |  |  |  |  |
|              | Zoom + Edge Small       |   | UF-ZME-SM   | ര്_ 750(w) x 2080(h) mm         |  |  |  |  |  |  |  |
|              | Zoom + Edge Medium      |   | UF-ZME-ME   | <u>ര</u> ്_ 750(w) x 2900(h) mm |  |  |  |  |  |  |  |
|              | Zoom + Edge Large       |   | UF-ZME-LA   | ര്വ് 750(w) x 4000(h) mm        |  |  |  |  |  |  |  |
|              | Zoom + Edge Extra large |   | UF-ZME-EXLA | (a) 750(w) x 5000(h) mm         |  |  |  |  |  |  |  |







Graphic attaches on to hook



TEX 1

to large)







# Free-standing flag bases

|      | Weighted bases - available in UK, Poland, Italy, Portugal and Spain |          |                       |             |     |        |       |   |      |         |    |   |        |        |    |   |      |        |    |
|------|---|----------|-----------------------|-------------|-----|--------|-------|---|------|---------|----|---|--------|--------|----|---|------|--------|----|
| Base | Product   | Code     | <u>o</u>              | (RG)        |     | Utilis | ation |   | Zoom | + Quill |    | 1 | Zoom + | Feathe | ٢  |   | Zoom | + Edge |    |
|      |   |          |                       |             |     | Int.   | Ext.  | S | М    | L       | XL | S | М      | L      | XL | S | М    | L      | XL |
|      | Large water<br>base   | UF-ZMLWB | 72.5 x 51 x 22.5 cm   | 0.9 kg      | 301 | 0      | •     | 0 | 0    | 0       | 0  | 0 | 0      | 0      | 0  | 0 | 0    | 0      | 0  |
| 1    | Stackable<br>Water<br>Base  | UF-ZMSWB | 64.2 x 64.2 x 27.7 cm | 3.6 - 30 kg | 261 | •      | •     | 0 | 0    | 0       | 0  | 0 | 0      | 0      | 0  | 0 | 0    | 0      | 0  |

|          | Metal and cement bases - available in UK, Poland, Italy, Portugal and Spain |             |                    |         |             |      |   |      |         |    |              |        |        |              |              |      |        |              |
|----------|---|-------------|--------------------|---------|-------------|------|---|------|---------|----|--------------|--------|--------|--------------|--------------|------|--------|--------------|
| Base     | Product   | Code        | <u>o</u> ,         | KG      | Utilisation |      |   | Zoom | + Quill |    | :            | Zoom + | Feathe | r            |              | Zoom | + Edge |              |
|          |   |             |                    |         | Int.        | Ext. | S | М    | L       | XL | S            | М      | L      | XL           | S            | М    | L      | XL           |
| $\times$ | Zoom +<br>Large cross base  | UF-ZMLCB-01 | 240 x 400 x 400 mm | 1.5 kg  | 0           | 0    | * | *    |         | *  | ✓<br>*<br>** | *      |        | ♥<br>*<br>** | ✓<br>*<br>** | *    | *      | ♥<br>*<br>** |
| Ş        | Zoom +<br>Concrete base   | UF-ZMCEM    | Ø 45 x 35 mm       | 22.5 kg | •           | 0    | 0 | 0    | 0       |    | 0            | 0      | 0      |              | 0            | 0    | 0      |              |
|          | Zoom +<br>Small square<br>base 7,5 kg                                       | UF-ZMLSQ-01 | 180 x 400 x 400 mm | 7.5 kg  | •           | 0    |   | *    |         |    | ✓<br>*<br>** | *      |        |              |              | *    |        |              |
|          | Zoom +<br>Drive on<br>car foot  | UF-ZMCFS-01 | 605 x 195 x 125 mm | 1.7 kg  | 0           | 0    | 0 | 0    | 0       | 0  | 0            | 0      | 0      | 0            | 0            | 0    | 0      | 0            |

|      | Spikes - available in UK, Poland, Italy, Portugal and Spain |             |        |        |        |       |   |      |         |    |   |        |        |    |   |      |        |    |
|------|---|-------------|--------|--------|--------|-------|---|------|---------|----|---|--------|--------|----|---|------|--------|----|
| Base | Product   | Code        | 0_     | (KG)   | Utilis | ation |   | Zoom | + Quill |    | : | Zoom + | Feathe | er |   | Zoom | + Edge |    |
|      |   |             |        |        | Int.   | Ext.  | S | Μ    | L       | XL | S | М      | L      | XL | S | М    | L      | XL |
| ×    | Zoom +<br>Ground spike                                      | UF-ZMGS-01  | 600 mm | 1.16kg |        | 0     | 0 | 0    | 0       | 0  | 0 | 0      | 0      | 0  | 0 | 0    | 0      | 0  |
|      | Zoom +<br>Budget<br>ground spike                            | UF-ZMBGS-01 | 600 mm | 1kg    |        | 0     | 0 | 0    |         |    | 0 | 0      |        |    | 0 | 0    |        |    |



\*Use with Weighting ring UB719-C



**\*\*** Use with Heavy duty pegs FX620

#### Zoom+ Arch

The Zoom+ Arch stands out at any outdoor event or activity. With an overall height of 3m to the top of the graphic and a 4m width, it's perfect to use as a focal point or to attract attention. Simple and quick to assemble, it can be deployed in minutes and when used with the optional stackable bases, provides an extremely stable display that can be used in wind speeds of up to 20mph.

| Material           | GRP fibre glass pole - chrome steel end caps, plastic hook |
|--------------------|--|
| Graphic area       | Single-sided   |
| Graphic attachment | Pole pocket  |
| Wind resistance    | Up to 19 km/h  |
|                    |  |

| Zoom+ Arch  | ZOOM+ARCH | ര്_ 4000(w) x 2500/3000(h) m |
|---|-----------|------------------------------|
| Stackable base (optional)<br>recommended that 2 bases<br>either side are used | UF-ZMSWB  | ര്വ_ 162.5(h) x 642(w) mm    |





Graphic attaches on to plastic hook

Water fillable base

#### Shimmer


Shimme

A great value, free-standing, telescopic flag system, which includes the black water-fillable base. Adjustable to a height of up to 3m, the system comes with a base which can be filled with water or sand for optimum stability. Transport bags optional. Can be used indoor or outside and is quick and easy to deploy.

| Material           | Aluminium pole, plastic base |  |
|--------------------|------------------------------|--|
| Pole               | Telescopic (1540/2850 mm)    |  |
| Graphic area       | Single-sided                 |  |
| Graphic attachment | Printed pole pocket          |  |
| Base capacity      | 14 litres                    |  |
| Wind resistance    | Up to 18 mph / 29 km/h       |  |
|                    |                              |  |
|                    |                              |  |

WD102-01






#### Wind Dancer

An imposing telescopic flag which stands 5m high when fully assembled and is certain to make an impact at any outdoor event. Wind Dancer comes complete with a base which can be filled with either water or sand. The 3.5m flag height makes an impressive statement when the flagpole is deployed at its full 5m height, and is particularly impactful when used in large crowded areas because of its dominating presence.

| Material           | Aluminium pole, plastic base |
|--------------------|------------------------------|
| Pole               | Telescopic                   |
| Graphic area       | Single-sided                 |
| Graphic attachment | Eyelets                      |
| Base capacity      | 66 litres                    |
| Wind resistance    | Up to 18 mph / 29 km/h       |
|                    |                              |








# Post / wall mounted flags

#### Mistral

The Mistral is a fixed outdoor flag system designed for mounting to lampposts or building exteriors and is perfect for advertising or promoting a brand or event. The mechanism attaches directly to a pole, posts, or wall and can be moved to accommodate varying graphic heights. An eye-catching solution that can also be used for information and wayfinding. This flag is especially effective when repeated over a series of posts.

| Material           | Aluminium castings and GRP tubes |
|--------------------|----------------------------------|
| Tube               | Height adjustable                |
| Graphic area       | Single-sided or double-sided     |
| Graphic attachment | Pole pocket                      |
| Wind resistance    | Up to 40 km/h                    |
|                    |                                  |

| Mistral | UB725-01 | ത്ര് 890(w) × 2000(h) mm |
|---------|----------|--------------------------|
|---------|----------|--------------------------|



Clamp (Ø 300mm max)



Mobile flags

|                                | Street Flag                                     | g                                |  |       |
|--------------------------------|---|----------------------------------|--|-------|
|                                | crowded space! Perfec<br>or to organise a group | ctly suited to promote events    | or when you want to attract attention in a<br>s, highlight your presence at trade shows<br>gged and lightweight the backpack can<br>complete with fibre poles. |       |
|                                | Material  | Reinforced nylon backpack, fib   | re poles   |       |
|                                | Graphic area                                    | Single-sided                     |  |       |
|                                | Graphic attachment                              | Pole pocket or eyelets (X-banne  | er)  |       |
|                                | Graphic shapes                                  | Feather - Quill - Edge - X-banne | ۲  |       |
|                                |   | 1                                | 1  |       |
|                                | Street Flag                                     | UF-ZMSTF-01                      | ര്_ 310(w) x 540(h) x 80(d) mm   |       |
|                                |   |                                  |  |       |
|                                |   |                                  |  |       |
| Can be fixed to a pole or wall |   |                                  |  |       |
|                                |   |                                  |  |       |
|                                |   | One had                          | g can be used with 4 flag shapes!  |       |
| 14 (                           |   | One bag                          | g can be used with 4 hag shapes:   |       |
|                                |   | <b>F</b>                         |  |       |
|                                |   | Feather                          |  |       |
|                                |   | 9                                |  | Quill |
| T                              |   |                                  | E  |       |
| Î                              |   | FLAG E                           |  |       |
|                                |   | _                                | STREET   |       |
| MISTRAL                        |   |                                  |  | -     |





Zipped compartment to store graphics


Reinforced shoulder straps, Storage for poles and rods adjustable strap and side mesh pocket







Flag Banners



# Tents

Take advantage of outdoor events with a temporary structure and create additional marketing opportunities. Offer customers protection and shelter from the weather by choosing custom-printed tents, that also provide an attractive brand marketing solution.

Conventional pop-up tents and gazebos are fantastic provisional outdoor or indoor structures which provide a unique way to advertise in a vibrant impactful manner with fully printed canopies and walls.

Constructed from robust steel or aluminium in a variety of sizes that are easy to transport, assemble, deploy and pack away, pop-up tents are ideal for short term events, fairs and exhibitions.

### Tents

For a more unique and unconventional structure, choose the Bora Inflatable Tent. Simple to inflate for rapid deployment with an appealing eye-catching shape, the Bora, like pop-up tents, also offers optional printed canopies and walls. Customisable areas make highly effective brand messaging, ensuring maximum impact at events. As with all custom-printed graphics, they can easily be replaced, meaning you are also able to reuse your hardware, improving your return on investment.



# Pop-up tents

#### Zoom Tent Eco

The Zoom Tent Eco is the most cost-effective gazebo in our range. Quick and easy to deploy, the 3x3m tent can easily accommodate a 2.4m wide table making it a great solution for street markets, golf days or sporting events. Made from steel with a white powder coated finish, the frame easily shelters up to five people and folds completely into a portable wheeled carry bag. Custom fully printed canopy and walling available as an optional extra.

| Material           | Steel frame, plastic joins                  |
|--------------------|---|
| Graphic area       | Double-sided (wall) / single-sided (canopy) |
| Graphic attachment | Hook and loop                               |
| Ground fixing      | Pegs and ropes (included)                   |
| Wind resistance    | Up to 18 mph / 29 km/h                      |
| Transport          | Wheeled standard                            |
|                    |   |
|                    |   |

| Zoom Tent Eco 3x3 | FD33-SQF | ്ര_ 3310(w) x 3315/3510(h) x 3310(d) mm |
|-------------------|----------|---|
| Canopy            | FD33-CTW | Colour : White                          |





Locking post



Winder for opening and closing



outdoo

#### Zoom Tent

Ensure your event's a success come rain or shine by using an easy to deploy vibrant lightweight aluminium pop-up tent frame system. The Zoom Tent folds out and returns in minutes with tool-free deployment. Dress with a custom full printed canopy, full and half walls. Available in a range of sizes.

| Material           | Aluminium frame, plastic joins                         |
|--------------------|--|
| Graphic area       | Double-sided (wall, half wall) / single-sided (canopy) |
| Graphic colours    | White - Black (standard) / Full Graphic (optional)     |
| Graphic attachment | Hook and loop / Pocket (half wall)                     |
| Ground fixing      | Pegs and ropes (included)                              |
| Wind resistance    | Up to 18 mph / 29 km/h                                 |
| Transport          | Wheeled Standard                                       |
|                    |  |
|                    |  |

| 3x6 frame   | ZT36-XAF-01  | ്ര_ 5800(w) x 3160(h) x 2920(d)   |
|-------------|--------------|-----------------------------------|
| 3x4.5 frame | ZT345-XAF-01 | ര്റ്റ 4300(w) x 3160(h) x 2920(d) |
| 3x3 frame   | ZT33-XAF-01  | ര്വ് 2920(w) x 3160(h) x 2920(d)  |
| 2x2 frame   | ZT22-XAF-01  | ര്_ 2000(w) × 3160(h) × 2000(d)   |

| Canopy    | ZT <b>XX</b> -CTK/W | Colours : Black / White |
|-----------|---------------------|-------------------------|
| Wall      | ZTXX-FWK/W          | Colours : Black / White |
| Half wall | ZTXX-HWK/W          | Colours : Black / White |

ZT-BASE 7.5 kg Weight Half wall bar 2-3 m ZT33-MTB

Ancillaries :











Pop-up frame

Tent weight (optional)

Automatic locking

Crank to tighten the canopy



# Inflatable tents

#### **Bora Tent**

| Material           | TPU, Polyester inner coat                            |
|--------------------|--|
| Graphic area       | Single-sided   |
| Graphic attachment | Zip system (standard) / hook and loop (full graphic) |
| Ground fixing      | Pegs (optional)                                      |
| Wind resistance    | Up to 24 mph / 39 km/h (if pegged)                   |
| Transport          | Standard (included)                                  |
|                    |  |

| Bora Tent      |  | INFT3-2Z   | ര്വ് 3200(w) x 2450(h) x 3 |
|----------------|--|--|----------------------------|
| Canopy<br>Door | INFT3-CZ-W/BL/B/R<br>INFT3-WA-W/BL/B/R | Colours : White / Black / B<br>Colours : White / Black / B |                            |

| Ancillaries | : |
|-------------|---|
|             |   |

INFTA-PE4EU





(optional)



400W electric pump Inflation valve

Carry bag included



Tents



# Counters

Temporary counters add a professional touch to any exhibition, event, or retail environment. They provide a useful area for display or presentation space and, the ability to add a graphic, creates additional marketing opportunities as well as offering a convenient storage facility.

Our counters are available in a range of price points and shapes, depending on requirements. Add impact to a welcome desk or a reception area in a public space with an illuminated counter or choose an outdoor option to promote a product or service at an open-air event.

# Counters

Counters are the perfect partner for a promotional display or event to complement a backdrop or add focus to an area and are the ideal companions for any marketing campaign.

# Non-illuminated promotional counters

| Pop-up Co                                       | unta  | T T E Pre | Modulate  | <sup>™</sup> Counter  |
|---|---|-----------|---|---|
| yet packs down for eas<br>The counter comes wit | ht pop-up counter that offers a substantial area to welcome guests<br>sy transportation in a reinforced D-shaped wheeled trolley case.<br>th shelves for storage and a beech-coloured counter-top. Often used<br>ermarkets as a demonstration unit and for events.<br>Aluminium, plastic and MDF tabletop |           | printed tension fabric g<br>or more counters to co<br>on its own or combined<br>deployed in minutes, ti | nsists of an innovative alur<br>graphic. Powerful magnets<br>innect using simple magne<br>d to make a long reception<br>hanks to the tool-less consi<br>ler the counter-top to suit i |
| Assembly  | Self-locking magnetic   | POP-UP    | Material  | ,<br>Ø 30mm Aluminium tube  |
| Collapsible                                     | Yes   | OT-OF     | Assembly  | Push-fit button   |
| Counter top                                     | Foldable - Beech colour   |           | Collapsible   | Yes   |
| Shelves   |   |           | Counter top   | Black   |
| Graphic attachment                              | Magnetic hangers, bars and tape (included).<br>Suitable for 440 microns min. substrate (optional extra)   |           | Shelves   | 1 (Optional)  |
| Transport                                       | 1 Wheeled trolley case  |           | Graphic attachment  | Zip system  |
|   |   |           | Transport   | One padded carry bag, in  |
| Pop-up 2x2                                      | PUC22C-C (D_ 985(h) x 1290(w) x 465(d) mm   |           |   | 1   |
|   |   |           | Modulate™ Counter   | FORM-MOD-CNTR   |
|   |   |           | Shelf FOR   | M-MOD-CNTR-02   |
| Structure                                       | Magnetic fixing Wheeled carry bag   |           |   |   |

#### Hop-up Counta

Durable lightweight hop-up counter, quick and easy to assemble with a single wrap around fabric graphic which stays on when collapsed and packed away. The unit is fitted with a beech effect counter top and provides a perfect welcome for guests.

| Material           | Aluminium, plastic, MDF tabletop and polycarbonate shelf |  |
|--------------------|--|--|
| Assembly           | Plastic locking arms                                     |  |
| Collapsible        | Yes  |  |
| Counter top        | Beech  |  |
| Shelves            | 1  |  |
| Graphic attachment | Hook and loop  |  |
| Transport          | One wheeled carry bag                                    |  |
|                    |  |  |
| Hop-up             | HU301-001-C O_ 1020(h) x 1060(w) x 360(d) mm             |  |



Y 1 Pro

Counter folds up









Counter components

Plastic locking arm

Carry bag included



aluminium tubular frame, counter-top, and ets encased inside the frame enables two netic principles. The counter can be used ion or bar area. Modulate™ Counter can be onstruction. The printed tension fabric graphic uit the application.

| terial           | Ø 30mm Aluminium tubes, MDF tabletop/shelf |
|------------------|--|
| sembly           | Push-fit button                            |
| llapsible        | Yes  |
| unter top        | Black                                      |
| elves            | 1 (Optional)                               |
| aphic attachment | Zip system                                 |
| insport          | One padded carry bag, internal flap        |

| Modulate™ Counte | FORM-MOD-CNTR    | ്ര_ 1015(h) x 800(w) x 600(d) mm |
|------------------|------------------|----------------------------------|
|                  |                  |                                  |
| Shelf            | FORM-MOD-CNTR-02 | j 9(h) x 770(w) x 571(d) mm      |
|                  |                  | 2 possible fi<br>or without v    |

Tabletop is held in place by plastic moulding underneath

Optional shelf

#### **Basic Curved Counter**

With a Double-D shape counter-top, the Basic Curved Counter delivers a functional and stylish look which is perfect to use for a reception desk or meeting point. The Counter is made from a rollable Corex tambour wrap to create the curved shape which push-fits into the thermoformed counter-top and base. A graphic can also be applied to the curved base to promote a message or brand. There is an opening for storage at the rear of the unit.

| Material    |   | MDF tabletop/base, Corex wrap |
|-------------|---|-------------------------------|
| Assembly    |   | Push-fit - Tool-free          |
| Collapsible |   | Yes                           |
| Counter to  | р | Beech / black                 |
| Transport   |   | 2 carry bags - included       |
|             |   |                               |
|             |   |                               |


| Basics Curved Counter beech/black | PK922     | ര്_ 925(h) x 910(w) x 480( |
|-----------------------------------|-----------|----------------------------|
| Basics Curved Counter white/black | PK922-BLK | 925(h) x 910(w) x 480(     |





Interchangeable tabletops Grey counter wrap and bases

Carry bag included




0(d) mm





# Illuminated promotional counters



#### **Tornado**

Tornado is constructed from a lightweight frame with tambour graphic wrap, making it a very portable promotions counter. Additional features such as support poles and header panel give a brilliant finish and high visibility. The hollow base can be filled with water or sand to ensure it is stable and secure in outdoor environments.

| Material Moulded HDPE, PVC tambour |                         | Create extra                            |                  |
|------------------------------------|-------------------------|---|------------------|
| Assembly                           | Push-fit - Tool-free    |   | brand visibility |
| Collapsible                        | Yes                     |   | with a header    |
| Counter top                        | White                   |   |                  |
| Shelves No                         |                         |   |                  |
| Graphic attachment Push-in         |                         |   |                  |
| Transport                          | 2 carry bags - optional | extra                                   |                  |
|                                    |                         |   |                  |
| Tornado Base                       | PK410                   | <u>ര</u> _ 1040(h) x 850(w) x 500(d) mm |                  |
| Tornado Header                     | PK411                   | ြဲ 250(h) x 600(w) x 20(d) mm           |                  |











7

#### 

ORNADO

for outdoor use

# **Embrace+ LED Counter**

The Embrace+ Backlit Counter is a double-sided portable unit that can be quickly deployed and will add impact to any event or exhibition stand. The counter comprises of four main components: the collapsible white aluminium powder coated frame, the LED curtain lights, the counter-top and a set of optional SEG tension fabric graphics. The backlit LED curtain lights provide consistent illumination with no black spots and are powerful enough to illuminate both sides of the frame, without the need to add an additional LED curtain.

| Material   | Aluminium, plastic, metal locking arms, MDF tabletop |                          |  |
|--|--|--------------------------|--|
| Assembly   | Plastic locking arms                                 |                          |  |
| Collapsible  | Yes  |                          |  |
| Counter top  | White  |                          |  |
| Graphic attachment                                 | Silicone Edged Gasket 3 mm (S                        | SEG)                     |  |
| Transport  | Bag included   |                          |  |
| Accessories  | LED lighting (included)                              |                          |  |
|  |  |                          |  |
| Embrace+ LED                                       | EMB-PL-CNTR-LED-01                                   | o_ 1022(h) x 1040(w) x 3 |  |
|  |  |                          |  |
| Fabric graphic attaches with silicone edging (SEG) | Light strip  | Bag                      |  |

#### Illumigo<sup>™</sup> Counter

This versatile and quick to set-up double-sided counter lightbox is a great all-rounder not only at events but in retail environments from shopping centres to pop-up shops. Part of the Illumigo<sup>™</sup> range, the Illumigo<sup>™</sup> Counter is easy to assemble with a two-part counter-top that secures using a pair of twist out top locators and locking screws. Building the unit is intuitive and tool-free as all the parts are numbered and simply slot together. Two optional graphics complete the look to create an impactful counter ideal for attracting attention in retail, event or exhibition environments.

| Material A           | Aluminium 100 mm, MDF table top  |                                  |  |
|----------------------|----------------------------------|----------------------------------|--|
| Assembly T           | Tool-free                        |                                  |  |
| Collapsible Y        | Yes                              |                                  |  |
| Counter top V        | White                            |                                  |  |
| Graphic attachment S | Silicone Edged Gasket 3 mm (SEG) |                                  |  |
| Transport P          | Protective box with carry handle |                                  |  |
| LED System           | Led strips included              |                                  |  |
|                      |                                  |                                  |  |
| Illumigo™            | ILLGO-COUNTER                    | ര്_ 1045(h) x 1040(w) x 420(d) n |  |
| Illumigo™ Bag        | ILLGO-BAG                        | ്ര_ 1160(h) x 460(w) x 190(d) m  |  |






Optional Illumigo<sup>™</sup> bag

Protective compartmented box

124



Counters



# **Barriers**

#### Barrier systems improve queue management and help with crowd control.

For pedestrian control, café barriers can be used to make an attractive, professional and functional barrier, creating a temporary space that can be easily reconfigured to suit your needs.

Café barriers are easy to store, assemble, deploy and move to suit your requirements. They are available in economy and premium solutions, depending on your application and budget.

## **Barriers**

Queue management systems can be used to control queues, providing structured and manageable lanes to help marshal customers and are also suitable for indoor or outdoor use.



## **Pedestrian control standard barriers**

#### **Economy Café**

A cost-effective way of defining areas outside restaurants, bars, shopping centre and coffee shops. A complete Café Barrier system requires two posts and bases. To secure the graphic, there are two options; dependent on budget and where the system is being deployed. If the Café Barrier is exposed to strong winds, we recommend a two-rail option ensuring the graphic is secured top and bottom to each post and base. If winds are not an issue but the budget is tight, then we suggest a single rail with two spring clips securing the bottom of the graphic. Rails are available in 1m, 1.5m and 2m sizes so it is quick and easy to calculate the number of café barriers required to define your space. To connect multiple barriers, add your choice of rails/spring clips plus one additional pole and base. All hardware components are finished in black. We can print vibrant graphics on PVC vinyl or recycled eco media.

| Material           | Stainless steel                                     |
|--------------------|---|
| Graphic area       | Double-sided / or single-sided                      |
| Graphic attachment | Looped top rail. Looped bottom rail or spring clips |
| Weight             | 9.13 kg   |

| Graphic Rail 1000 mm | UB214-1000 | ര്വ_ 1140(w) x 25(h) mm |
|----------------------|------------|-------------------------|
| Graphic Rail 1500 mm | UB214-1500 | ര്_ 1940(w) x 25(h) mm  |
| Graphic Rail 2000 mm | UB214-2000 | ര്_ 2440(w) x 25(h) mm  |
| Base                 | UB214B     | ര്_ 360 (Ø) mm          |
| Post                 | UB214P     | ര്_ 960(h) mm           |
| Spring clips (pair)  | UB214-SC   |                         |
|                      |            |                         |



Spring clips for securing eyelet graphic





# **Pedestrian control premium barriers**

#### **Deluxe Café**

With premium look and feel the modular Café Barrier system defines areas outside restaurants, bars, coffee shops, shopping centre and club houses. A complete Café Barrier system requires two posts and bases. To secure the graphic, there are two options; dependent on requirements and where the system is being deployed. If the Café Barrier is exposed to strong winds, we recommend a two-rail option ensuring the graphic is secured top and bottom to each post and base. If winds are not an issue and you want movement in the graphic, chose a single rail with two spring clips securing the bottom of the graphic. Rails are available in 1m, 1.5m and 2m sizes so it is quick and easy to calculate the number of café barriers required to define your space. To connect multiple barriers, add your choice of rails/spring clips plus one additional pole and base. All hardware components are finished in a premium chrome effect. We can print vibrant graphics on PVC vinyl or recycled eco media.

| Material             | Stainless steel chrome                              |                 |  |  |
|----------------------|---|-----------------|--|--|
| Graphic area         | Single / double sided                               |                 |  |  |
| Graphic attachment   | Looped top rail. Looped bottom rail or spring clips |                 |  |  |
| Weight               | 8.63 kg   |                 |  |  |
|                      |   |                 |  |  |
| Graphic Rail 1000 mm | UB215-1000  | ര്_ 1140(w) mm  |  |  |
| Graphic Rail 1500 mm | UB215-1500  | ര്വ_ 1940(w) mm |  |  |

| Graphic Rail 1500 mm | UB215-1500 | പ്ര_ 1940(w) mm |
|----------------------|------------|-----------------|
| Graphic Rail 2000 mm | UB215-2000 | ര്_ 2440(w) mm  |
| Base                 | UB215B     | ര്വ് 360 (Ø) mm |
| Post                 | UB215P     | ര്വ_ 960(h) mm  |
| Spring clips (pair)  | UB215-SC   |                 |

### **Queue management standard barriers**

#### **Basic Leader**

Basics range for retractable barrier system, ideal for use in retail outlets, post offices, cinemas, and airports. A complete system requires two sets of post and base. All hardware components are finished in black. Retractable webbing is available as a separate cassette that slots into the post and can be deployed at a length of up to 2m. Webbing colour is black.

| Material | Steel, alu             |
|----------|------------------------|
| Colour   | Black (ba<br>Black (we |

uminium, plastic ase and post) (ebbing)

| asics Leader Retractable Belt | SP-803B |
|-------------------------------|---------|
| lasics Leader Post            | SP-801B |
| lasics Leader Base            | SP-913B |



webbing cassette





 $\overline{\mathbf{1}}$ Retractable belt

Barriers



# **Ancillaries**

The range of ancillary products include literature holders, lighting solutions for various hardware ranges and transportation cases. These ancillaries offer flexibility and perfectly complement our product solutions.

# Ancillaries

You can enhance your exhibition stand by selecting various supporting products from our range of ancillaries, that are often used to help promote your brand in a more impactful way, professionally display your latest literature, or add points of interest / making your stand more visible by using spot lights.

## Literature holders (standard)

#### Zed-up Lite

A popular range of aluminium literature stands that are stylish and highly portable. Quick and easy to deploy Zed-up Lite is ideal for exhibitions and displays. Folds down for easy transportation in a heavy duty hard case.

| Acrylic and anodised aluminium |
|--------------------------------|
| Silver                         |
| A5/A4/A3                       |
| 6                              |
| Yes                            |
| Hard case (included)           |
|                                |
|                                |

| A5 (6 pockets) | AS318-002 | ര്വ_ 210(w) x 1115(h) x 280(d) mm |
|----------------|-----------|-----------------------------------|
| A4 (6 pockets) | AS315-002 | ര്വ് 256(w) x 1460(h) x 370(d) mm |
| A3 (6 pockets) | AS319-002 | ු_ 470(w) × 1420(h) × 370(d) mm   |



Rigid carry case included

#### Linear Media Post

A robust, handy and very versatile information and promotional stand incorporating 3 literature holders. The post holds a rigid graphic which can be shaped to fit the display style; making it ideal for retail presentations.

| Material        | Anodised aluminium post, steel dome base    |
|-----------------|---|
| Colour          | Silver                                      |
| Documents sizes | A4  |
| Pockets         | 3 - included                                |
| Double-sided    | No  |
| Graphic area    | Optional extra - ideal with 5 mm foamed PVC |
| Transport       | Carry bags (optional extra)                 |
| Availability    | Made on request                             |
|                 |   |

| Linear Media Post | LK026-001 | ලි_ 523(w) x 2060(h) x 450(d) mm |
|-------------------|-----------|----------------------------------|
|-------------------|-----------|----------------------------------|



# Lighting (standard)

#### Powerspot 950/1000 LED

| Material             | Aluminium and plastic                            |
|----------------------|--|
| Positioning          | 270° - Straight arm                              |
| Watt output          | 12 watt (1400 lumens/5500 kelvins)               |
| Watt consumption     | 12 Watt (1400 lumens/5500 Kelvins)               |
| Linked lights        | 2 max  |
| Double kit includes  | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed)              |

PS950-1000-BDLK

P

Double kit

Transformer included

# Lighting (premium)

#### LED Floodlight

The LED Floodlight is the new stylish and economical way to illuminate a range of exhibition stands including Pop-ups, Formulate and a range of modular systems. Don't let the compact design fool you, this small LED light is still capable of producing 1200 lumen but still only consuming a small amount of energy, making it far more efficient than the halogen equivalents. Link up to 5 lights together from one transformer, so no need for extra transformers just link them together with handy linking cables.

| Material             | Aluminium and plastic                            |
|----------------------|--|
| Watt output          | 80 watt  |
| Watt consumption     | 12 watt (1200 lumens/5631 Kelvin)                |
| Linked lights        | Link up to five to one transformer               |
| Double kit includes  | 2 spotlights + 2.5m linking lead + 1 transformer |
| Power lead UK & Euro | Yes (cross head screwdriver needed)              |
|                      |  |
|                      |  |

LED-FLOOD-ARM-BDLK





Transportation box


Double kit

Transformer included



Ancillaries

## **Lighting ancillaries**



Lift the lid

Unscrew

Pull the plug to extract it

# Portable transportation cases

| Zenith  |  |  |    | Illumig                      | o™ Bag   |                                     |                    |
|---|--|--|----|------------------------------|--|-------------------------------------|--------------------|
| transport solution<br>they also double<br>case will house a | n with maximur<br>up as counters<br>3x5 pop-up sys | nith case offer a multitude of features. Versatile ultra-port<br>m storage for pop-ups, backwalls, roller banners and extru<br>with optional extra graphic wrap and table top. The stand<br>tem and graphics. Secure Internal dividers protect graphic<br>flocks (not supplied). | S, | Material<br>Colour<br>Wheels | Illumigo™ 2x1, Retail, One or<br>Nylon and inner MDF<br>Black<br>Yes | r the Illumigo™ counter.            |                    |
| Material  | Medium-den:  | sity polyethylene (MDPE) / Metal   |    | Handle                       | 2  |                                     |                    |
| Wheels  | 2  |  |    |                              |  |                                     |                    |
| Handle  | 1  |  |    | Illumigo™ bag                | ILLGO-BAG  | _ (Internal dimensions) 460(w) x 11 | 160(b) x 100(d) mg |
| Accessories   | Beech table t                                      | op / graphic wrap  |    |                              |  | , (incernal annensions) 100(0) × 11 |                    |
| Zenith  | AC600  | စြ္ (External dimensions) 600(w) x 956(h) x 400(d) mm  |    |                              |  |                                     |                    |
| Ancillaries :   |  |  |    | ~                            |  | 3) 🔄                                |                    |
| Tabletop (beech)  | CO401-C  | _ 15(h) x 640 (l) x 420 (p) mm   |    |                              |  | ]                                   |                    |
|   |  |  |    | Wheeled                      | bag Inner comp<br>for gra  |                                     | ry handle          |

### Bag without tube

Nylon bag with shoulder strap for extra protection during transport.

| Graphic up to 850(h) mm  | AB120  | <u>ම</u> _ 850(h) x 155 (Ø) mm |
|--------------------------|--------|--------------------------------|
| Graphic up to 1050(h) mm | AB120A | ര്വ് 1050(h) x 155 (Ø) mm      |
| Graphic up to 1550(h) mm | AB120D | ര്വ_ 1550(h) x 155 (Ø) mm      |



1 With wheels for easy transportation







Zenith case thermoformed tabletop in beech Foam protected lid holds two LED lights

Graphic wrap (optional)





956 mm







# Custom and made to measure graphics

If you require a special format, or finish, we invite you to contact one of our advisers for a custom-made quote.

formats.





Vertical flag Straps and hook fastening

To guarantee quality visuals that are adaptable for multiple uses, we have selected a wide range of printing materials for you. From conception to finishing, we guarantee you a perfect fit and good quality vibrant printed custom graphics.

Below you will find some suggestions for frequently used

Other suggestions ised finish on request



We Provide creative display solutions that suit a multitude of industry applications.

Our display products are not only multi-functional and in many cases reconfigurable, but they can also

From retail or educational settings, outdoor sporting events to hospitality and corporate events;

The following pages are a guide for where our popular products are often used to enhance brand

be used for an array of different applications across a multitude of industries.

our creative display solutions are suitable for more than just exhibitions.



Window displays

**Commercial events** 





Pop-up Store

Seasonal Campaigns





Shop openings





140

Applications

messaging, in a vibrant and eyeing catching way.

# Retail

In the age of digitalisation, the main challenge for retail is to consider the customer experience at the point of sale.

#### **Retail signage**







Sales









### Leisure **Activities**

The leisure industry represents an important part of the economy. From hospitality through to galleries, promoting the benefits of improved wellbeing and quality of life is essential with innovative displays that catch the eye.



#### Interior signage



**Music venues** 



Fairs and markets





**Cinema foyers** 



Suspended signage



Art galleries





Award ceremonies

#### Award ceremonies



Amateur sporting events

#### Fundraising





Military open days







### Cultural **Events**

Social events with a national or international scope involve a large audience and can have a huge impact. The organisation is often extremely complex and requires significant communication resources.

#### **Professional sporting events**





**Festivals** 

**Fashion shoot** 

### Corporate Events

Corporate events are essential for companies to maintain close relationships and partnerships with their customers, business partners or employees.

**Product launches** 



Outdoor corporate events



Gala events





**Brand launches** 

ALL NEW

WATCH

**Corporate meetings** 

No.

Open days



**Sales meetings** 

**Corporate dinners** 

Showrooms





**Open days** 

Campus life



Fresher's week

**Graduation shows** 





Ceremony staging







### University **Events**

Educational, artistic and cultural events offer encounters, projects and practical experiments. The aim is to ensure artistic and cultural educational coherence for all pupils.

#### **Graduation ceremonies**





**Career and job fairs** 






Gown hire

### Conference

Preparing a conference is an excellent opportunity for brand exposure at high value-added events. Brand messaging should communicate exceptional, new, or informative and important information relating to your business.







Exhibition reception area

**Exhibition shell system** 



**Exhibition literature stand** 

#### Art gallery exhibition









Virtual exhibition









### **Exhibitions**

From planning to execution: give your brand the exposure it deserves with original, renewable and customised solutions.

Merchandising stand



#### Reconfigurable exhibition

**Reconfigurable stand** 

**Exhibition - suspended** 

### Outdoor

Custom printed flags, signage, and tents invigorate any outdoor activity and attract attention to help brands or businesses stand out.

Santa BRI



Notes





#### **Product Index**

#### Α

#### .....33 3m Wall ..... Arena Components......51 Arena stand designs ......52 A-sign Board ......78

#### В

Bag without tube......137 Barracuda ......100 Baseline Panel and Pole Kits......69 Baseline Panel Kits.....70 Baseline Tabletop Panel kit ......71 Baseline Wheeled Panel Kits ......71 Basics Curved Counter......123 Basics Leader.....129 Beijing Lite ......102 Blizzard......102 Bora Column......81 Bora Tent ......119 

#### С

Custom and made to measure graphics ......139 Counta.....

Delta Lite ..... Deluxe Café......129 Dragonfly 2 .....97

#### E

D

Economy Café.....128 Embrace+.....60 Embrace+ LED Counter ......125

#### F

Formulate Arch......56 Formulate Horizontal Curve ...... 66 Formulate Meeting Pod ..... .....67 Formulate Monolith.... ...93 Formulate Monolith Eco......93 Formulate Shadow......79 Formulate Square Hanging Structure... Formulate Straight..... ...66

#### G

Gala Table .... Grasshopper.....

#### Н

Hop-up Counta..... Hop-up Impact Curve Hop-up Impact Straig Horizon.....

#### Т

Illumigo™..... Illumigo™ 2x2 ..... Illumigo™ Bag...... Illumigo™ Counter ... Illumigo™ One ...... Illumigo™ Retail...... Impact Pop-up Curve Impact Pop-up Curve Impact Pop-up Straig Impact Pop-up Straig

#### L

LED Exhibition Light LED Floodlight ...... LED Strip Light ...... Liberty Mini..... Linear ancillaries ..... Linear Media Post .... Linear Modules...... Linear stand designs

#### Μ

.....124

.98

.55

..81

...97

| Mantis                               | 95  |
|--------------------------------------|-----|
| Merlin                               | 100 |
| Mistral                              | 112 |
| Modulate ancillaries                 | 15  |
| Modulate <sup>™</sup> Counter        | 123 |
| Modulate <sup>™</sup> Slope          | 14  |
| Modulate <sup>™</sup> stand examples | 16  |
| Modulate <sup>™</sup> Straight       | 12  |
| Monsoon                              | 80  |
| Mosquito                             | 96  |
|                                      |     |

#### 0

Orient+ ..... Ρ Pegasus ..... Pegasus 3m.....

Q

Quick+ Curved Bund Quick+ Curved Kit ... Quick+ Straight Bun Quick+ Straight Kit.

|     | 122 |
|-----|-----|
| /ed | 65  |
| ght | 65  |
|     | 72  |

| ed62         |
|--------------|
| ed Bundle62  |
| ght61        |
| ght Bundle61 |

|   | • | • | • | • | • | • | • | • | • | • | • | • |  | • | • | • | • | • | 1 |   | 3 | 32  | 4 |  |
|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|-----|---|--|
|   | • | • | • | • | • | • | • | • | • | • | • | • |  | • | • | • | • | • | 1 |   | 3 | 33  | 3 |  |
|   | • | • | • | • | • | • | • | • | • | • | • | • |  | • | • | • | • | • | 1 |   | 3 | 32  | 4 |  |
|   | • |   | • | • | • | • | • | • | • | • | • | • |  |   | • | • | • | • | 1 |   | С | ) ' | 1 |  |
|   | • | • | • | • | • | • | • | • | • | • | • | • |  | • | • | • | • | • | 4 | ŀ | 9 | )   |   |  |
|   | • | • | • | • | • | • | • | • | • | • | • | • |  | • | • | • | • | • | 1 |   | 3 | 32  | 2 |  |
|   | • | • | • | • | • | • | • | • | • | • | • | • |  | • | • | • | • | • | 4 | ŀ | 2 | )   |   |  |
| S | • |   | • | • | • | • | • | • | • | • | • |   |  |   | • | • | • | • | 4 | ŀ | 3 | 3   |   |  |

| P                      |     |
|------------------------|-----|
| Pegasus                | 72  |
| Pegasus 3m             | 73  |
| Pop-up Counta          | 22  |
| Powerspot 950/1000 LED | 133 |

| dle | 64 |
|-----|----|
|     | 64 |
| dle | 63 |
|     | 63 |

#### S

| -                 |      |
|-------------------|------|
| Sentry            | .76  |
| Shield            | .77  |
| Shimmer           | 109  |
| Stowaway          | .80  |
| Strata components | .87  |
| Street Flag       | .113 |
| Street Sign       | .78  |
| Symbol            | .77  |
|                   |      |

#### 5 **T**

| •            |     |
|--------------|-----|
| Thunder 2    | 99  |
| Tornado      | 124 |
| Trappa Frame | 82  |
| Twista Lite  | 85  |
|              |     |

#### V

| v                             |     |
|-------------------------------|-----|
| Vector custom stands          | 35  |
| Vector 50mm Kit               | .68 |
| Vector 75mm LED Kit           | .84 |
| Vector 125mm LED              |     |
| Hanging Structure             | .54 |
| Vector 125mm LED Kit          | .92 |
| Vector Media                  | .94 |
| Vector Modules                | .23 |
| Vector Modules ancillaries    | .34 |
| Vector stand designs          | 25  |
| Vector Quick-fix Hanging Kit  | .39 |
| Vector Quick-fix Wall Kit     | .82 |
| Vector Slim Circular Wall Kit | 83  |
|                               |     |

#### W

| Wasp95        | 5 |
|---------------|---|
| Wedge76       | 5 |
| Wind Dancer11 | 0 |

#### Ζ Ζ

| Zed-Up Lite                | 132 |
|----------------------------|-----|
| Zenith                     | 136 |
| Zoom+ Arch                 | 109 |
| Zoom+ Edge Flag            | 107 |
| Zoom+ Quill / Feather Flag | 106 |
| Zoom Tent                  | 117 |
| Zoom Tent Eco              | 116 |
|                            |     |



